



MEASUREMENTS

To fit chest measurement	
4	23" [58.5 cm]
6	25" [63.5 cm]
8	26½" [67.5 cm]
10	28" [71 cm]
12	30" [76 cm]

Finished chest	
4	28" [71 cm]
6	30" [76 cm]
8	32" [81.5 cm]
10	32¾" [86.5 cm]
12	36" [91.5 cm]

ABBREVIATIONS

www.bernat.com/abbreviations

Beg = Beginning	Rep = Repeat
Ch(s) = Chain(s)	RS = Right side
Cont = Continue(ity)	Sc = Single crochet
Dc = Double crochet	Sc2tog = Draw up a loop in each of next 2 stitches.
Hdc2tog = Yoh and draw up a loop in next stitch. Draw up a loop in next stitch. Yoh and draw through all 4 loops on hook	Yoh and draw through all loops on hook
Pat = Pattern	Sl st = Slip stitch
Rem = Remaining	Sp(s) = Space(s)
	St(s) = Stitch(es)
	WS = Wrong side
	Yoh = Yarn over hook

MATERIALS

Bernat® SoftEE® Chunky™ (100 g/3.5 oz; 99 m/108 yds)							
Version 1	Sizes	4	6	8	10	12	
	Main Color (MC) Teal (28203)	3	4	4	5	5	balls
	Contrast A Redwood (28522)	1	1	1	1	1	ball
	Contrast B Clay (28041)	1	1	1	1	1	ball
Version 2							
	Main Color (MC) Clay (28041)	3	4	5	5	6	balls
	Contrast A Eucalyptus (28247)	2	2	2	3	3	balls
	Contrast B Pumpkin (28630)	1	1	1	1	1	ball
Size 9 mm (U.S. M or 13) crochet hook or size needed to obtain gauge . Separating zipper 16 (18-20-20-22)" [40 (45-50-50-55) cm] long.							

GAUGE

7 sts and 7 rows = 4" [10 cm] in pat.

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus (.). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Note: When joining colors, work to last 2 loops on hook of first color. Draw new color through last 2 loops and proceed.

Ch 3 at beg of rows counts as dc throughout.

BODY

Note: Body is worked in one piece to armholes.

Ribbing: **With A, ch 6.

1st row: (RS). 1 sc in 2nd ch from hook. 1 sc in each ch to end of chain. Turn. 5 sc.

2nd row: Ch 1. Working in back loops only, 1 sc in each sc to end of row. Turn.**

Rep 2nd row until work from beg measures approx **28 (30-32-34-36)" [71 (76-81.5-86.5-91.5) cm]** (when slightly stretched). Join MC.

Do not fasten off.

Turn work and proceed as follows:

Body: 1st row: (RS). With MC, ch 1. Working along side edge, work **49 (53-57-59-65)** sc evenly across ribbing. Turn.

2nd row: Ch 1. 1 sc in first sc. *1 dc in next sc. 1 sc in next sc. Rep from * end of row. Turn.

3rd row: Ch 3. *1 sc in next dc. 1 dc in next sc. Rep from * to end of row. Turn.

4th row: Ch 1. 1 sc in first dc. *1 dc in next sc. 1 sc in next dc. Rep from * to end of row, working last sc in top of ch 3. Turn.

Rep last 2 rows for pat until work from beg measures **12½ (13½-14½-15-15½)" [32 (34.5-37-38-39.5) cm]**, ending with a WS row. Join A at end of last row.



Next row: (RS). With A, ch 3. *1 sc in next dc. 1 dc in next sc. Rep from * to end of row. Join B. Turn.

Divide for raglans: **Next row:** With B, ch 1. 1 sc in first dc. (1 dc in next sc. 1 sc in next dc) **5 (5-6-6-7)** times. **Turn.** Leave rem sts unworked.

Left Front: Cont on last **11 (11-13-13-15)** sts for Left Front.

Next row: (RS). With B, ch 2 (does not count as st). Hdc2tog. Pat to end of row. Break B. Join A. Turn.

With A, work 1 row even in pat. Break A. Join MC.

Sizes 4, 6 and 10 only: With MC, work 2 rows even in pat.

All sizes: **Next row:** (RS). Ch 2 (does not count as st). Hdc2tog. Pat to end of row. Turn.

Work 1 row even in pat.

Rep last 2 rows **0 (0-1-1-1)** time(s) more. **9 (9-10-10-12)** sts.

Shape neck: 1st row: (RS). Ch 2. Hdc2tog. Pat to last 3 sts (neck edge). **Turn.** Leave rem 3 sts unworked.

2nd row: Ch 2. Hdc2tog. Pat to end of row. Turn.

3rd row: Ch 2. Hdc2tog. Pat to last 2 sts. Hdc2tog. Turn. **2 (2-3-3-5)** sts.

Sizes 8 and 10 only: **Next row:** Ch 2. Hdc2tog. 1 hdc in last st. Turn.

Next row: Ch 2. Hdc2tog. Fasten off.

Sizes 4 and 6 only: **Next row:** Ch 2. 1 hdc in each of next 2 sts. Turn.

Next row: Ch 2. Hdc2tog. Fasten off.

Size 12 only: **Next row:** Ch 2. Hdc2tog. Pat to end of row. Turn.

Next row: Ch 2. Hdc2tog. Pat to end of row. Turn.

Next row: Ch 2. Hdc2tog. 1 hdc in last st. Turn.

Next row: Ch 2. 1 hdc in each of next 2 sts. Turn.

Next row: Ch 2. Hdc2tog. Fasten off.

Back: With WS facing, miss next 4 sts. Join B with sl st to next st. Ch 1. 1 sc in same sp as last sl st. Pat across next **18 (22-22-24-26)** sts. **Turn.** Leave rem sts unworked.

Cont on last **19 (23-23-25-27)** sts.

Next row: (RS). With B, ch 2. Hdc2tog. Pat to last 2 sts. Hdc2tog. Break B. Join A. Turn.

With A, work 1 row even in pat. Break A. Join MC.

Sizes 4, 6 and 10 only: With MC, work 2 rows even in pat.

All sizes: **Next row:** (RS). Ch 2 (does not count as st). Hdc2tog. Pat to last 2 sts. Hdc2tog. Turn.

Work 1 row even in pat.

Rep last 2 rows **1 (1-3-2-4)** time(s) more. **13 (17-13-17-15)** sts.

Sizes 4 and 12 only: **Next row:** (RS). Ch 2 (does not count as st). Hdc2tog. Pat to last 2 sts. Hdc2tog. **11 (13)** sts rem. Fasten off.

Sizes 6 and 10 only: **Next 2 rows:** (RS). Ch 2 (does not count as st). Hdc2tog. Pat to last 2 sts. Hdc2tog. Turn. 13 sts rem. Fasten off.

Size 8 only: Work 1 row even in pat. Fasten off.

Right Front: With WS facing, miss next 4 sts. Join B with sl st to next st. Ch 1. 1 sc in same sp as last sl st. Pat across next **10 (10-12-12-14)** sts. Turn.

Cont on last **11 (11-13-13-15)** sts for Right Front.

Next row: (RS). With B, pat to last 2 sts. Hdc2tog. Break B. Join A. Turn.

With A, work 1 row even in pat. Break A. Join MC.

Sizes 4, 6 and 10 only: With MC, work 2 rows even in pat.

All sizes: **Next row:** (RS). Pat to last 2 sts. Hdc2tog. Turn.

Work 1 row even in pat.

Rep last 2 rows **0 (0-1-1-1)** time(s) more. **9 (9-10-10-12)** sts.

Shape neck: 1st row: (RS). Sl st across first 3 sts. Pat to last 2 sts. Hdc2tog. Turn.

2nd row: Pat to last 2 sts. Hdc2tog over last 2 sts. Turn.

3rd row: Ch 2. Hdc2tog. Pat to last 2 sts. Hdc2tog. Turn. **2 (2-3-3-5)** sts.

Sizes 8 and 10 only: **Next row:** Ch 2. 1 hdc in first st. Hdc2tog. Turn.

Next row: Ch 2. Hdc2tog. Fasten off.

Sizes 4 and 6 only: **Next row:** Ch 2. 1 hdc in each of next 2 sts. Turn.

Next row: Ch 2. Hdc2tog. Fasten off.

Size 12 only: **Next row:** Pat to last 2 sts. Hdc2tog. Turn.

Next row: Pat to last 2 sts. Hdc2tog. Turn.

Next row: Ch 2. 1 hdc in first st. Hdc2tog. Turn.

Next row: Ch 2. 1 hdc in each of next 2 sts. Turn.

Next row: Ch 2. Hdc2tog. Fasten off.

SLEEVES

Ribbing: Work from ** to ** as given for Body. Rep 2nd row until work from beg measures approx **6 (6½-7-7½-8)** [15 (16.5-18-19-20.5) cm] (when slightly stretched). Join MC. **Do not** fasten off.

Turn work and proceed as follows:

1st row: (RS). With MC, ch 1. Working along row ends, work **13 (15-17-17-19)** sc evenly across ribbing. Turn.

2nd row: Ch 1. 1 sc in first sc. *1 dc in next sc. 1 sc in next sc. Rep from * end of row. Turn.

3rd row: Ch 3. *1 sc in next dc. 1 dc in next sc. Rep from * to end of row. Turn.

4th row: Ch 1. 1 sc in first dc. *1 dc in next sc. 1 sc in next dc. Rep from * to end of row, working last sc in top of ch 3. Turn.

Last 2 rows form pat.

Shape sides: **Next row:** Ch 1. (1 sc. 1 dc) in first sc. *1 sc in next dc. 1 dc in next sc. Rep from * to last 2 sts. 1 sc in next dc. (1 dc. 1 sc) in last sc. Turn.

Work **4 (6-6-8-8)** rows even in pat.

Next row: Ch 1. (1 sc. 1 dc) in first sc. *1 sc in next dc. 1 dc in next sc. Rep from * to last 2 sts. 1 sc in next dc. (1 dc. 1 sc) in last sc. Turn. **17 (19-21-21-23)** sts.

Cont even in pat until work from beg measures **10 (12-13½-15-16½)" [25.5 (30.5-34.5-38-42) cm]**, ending with a WS row. Join A at end of last row.

Next row: (RS). With A, ch 3. *1 sc in next dc. 1 dc in next sc. Rep from * to end of row. Join B. Turn.

Shape raglans: 1st row: With B, sl st in each of first 2 sts. Pat to last 2 sts. Turn. Leave rem 2 sts unworked. **13 (15-17-17-19)** sts.

2nd row: Work even in pat. Break B. Join A.

3rd row: With A, ch 2. Hdc2tog . Pat to last 2 sts. Hdc2tog. Break A. Join MC. Turn.

With MC, rep last row **1 (3-3-1-1)** time(s) more. **9 (7-9-13-15)** sts.

Next row: Ch 2. Hdc2tog. Pat to last 2 sts. Hdc2tog. Turn.

Next row: Work even in pat.

Rep last 2 rows **1 (1-1-3-3)** time(s) more. **5 (3-5-5-7)** sts.

Sizes 4, 8 and 12 only: Next row: Ch 2. Hdc2tog. Pat to last 2 sts. Hdc2tog. Turn. **3 (3-5)** sts.

All sizes: Fasten off.

FINISHING

Pin garment pieces to measurements. Cover with a damp cloth, leaving cloth to dry.

Sew raglan seams. Sew sleeve seams.

COLLAR

With A, ch 3.

1st row: (RS). 1 sc in 2nd ch from hook. 1 sc in last ch. Turn. 2 sc.

2nd row: Ch 1. Working in back loops only, 2 sc in first st. 2 sc in last st. Turn. 4 sc.

3rd row: Ch 1. Working in back loops only, 2 sc in first st. 1 sc in each of next 2 sc. 2 sc in last st. Turn. 6 sc.

4th row: Ch 1. Working in back loops only, 1 sc in each sc to end of row. Turn.

5th row: Ch 1. Working in back loops only, 2 sc in first st. 1 sc in each sc to last sc. 2 sc in last st. Turn.

6th to 9th rows: As 4th and 5th rows twice more. 12 sc. Place markers at each end of 9th row.

10th row: Ch 1. Working in back loops only, 1 sc in each sc to end of row. Turn.

Rep last row until work from markers measures **6 (7-7-8-8)" [15 (18-18-20.5-20.5) cm]**, ending with a WS row.

1st row: (RS). Ch 1. Working in back loops only, Sc2tog. 1 sc in each sc to last 2 sc. Sc2tog. Turn.

2nd row: Ch 1. Working in back loops only, 1 sc in each sc to end of row. Turn.

3rd to 6th rows: As 1st and 2nd rows twice more. 6 sts.

7th row: Ch 1. Working in back loops only, Sc2tog. 1 sc in each of next 2 sc. Sc2tog. Turn.

8th row: Ch 1. Working in back loops only, (Sc2tog) twice. Turn.

9th row: Ch 1. Working in back loops only, 1 sc in each of next 2 sts. Fasten off.

Zipper edging: 1st row: (RS). Join A with sl st at lower edge of Right Front. Ch 1. Work 1 row of sc evenly up to neck edge. **Do not** turn.

2nd row: Ch 1. Working from **left to right**, instead of from **right to left** as usual, work 1 reverse sc in each sc to end of row. Fasten off.

Reverse Sc



Rep along Left Front edge, joining A with sl st at corner of neck edge.
Sew zipper in position behind edging.
Sew Collar in position.

