



## Shoulder Hoodie

designed by Marlaïne DesChamps

FREE



INTERMEDIATE

SIMPLY  
SOFT®

DESCRIPTION    SIZING

### Abbreviations

**co** = cast on  
**K** = knit

**P** = purl  
**pat** = pattern

**RS** = right side  
**st(s)** = stitch(es)

**WS** = wrong side

### Details & Instructions

#### MEASUREMENTS

Circumference at  
shoulders  
34"/86.5cm  
(unstretched)

#### MATERIALS

Simply Soft (170 g/6. oz; 288 m/315 yds)



**Main Color (MC)** Lavender Blue (9756)

5

One circular size U.S. 15 (10mm) needle 29"/73.5cm long or size needed to obtain gauge. Crochet hook size K-10 ½ (6.5mm). Cable needle (cn). Stitch marker. Yarn needle

#### GAUGE

In St st, using size U.S. 15 (10mm) needle and 3 strands of yarn held together, 10 sts = 4"/10cm

## INSTRUCTIONS

### NOTES

Hoodie is knitted in one piece to neck opening. Stitches are then bound off for opening and work is continued by knitting back and forth in rows.

### STITCHES USED

#### **Cable Patt (worked in-the-rnd):**

**Rnds 1–4:** \*P3, k4; repeat from \* around.

**Rnd 5:** \*P3, slip 2 sts cable needle (cn), hold in back, k2, then k2 sts from cn; repeat from \* around.

**Rnd 6:** \*P3, k4; repeat from \* around.

Repeat Rnds 1-6 for patt worked in-the-rnd.

#### **Cable Patt (worked back and forth):**

**Rows 1 and 3 (RS):** \*P3, k4; repeat from \* across.

**Rows 2 and 4 (WS):** \*P4, k3; repeat from \* across.

**Rnd 5:** \*P3, slip 2 sts cable needle (cn), hold in back, k2, then k2 sts from cn; repeat from \* across.

**Row 6:** \*P4, k3; repeat from \* across.

Repeat Rows 1-6 for patt worked back and forth.

### HOODIE

Using 3 strands of yarn held together, CO 105 sts. Join, being careful not to twist sts.

Place marker to indicate beg of rnd.

**Rnds 1–4:** \*P3, k4; repeat from \* around.

**Rnd 5:** \*P3, slip 2 sts cable needle (cn), hold in back, k2, then k2 sts from cn; repeat from \* around.

**Rnd 6:** \*P3, k4; repeat from \* around.

Repeat Rnds 1-6 for patt until piece measures 13" from CO edge, ending with patt Rnd 6.

Remove marker then work back and forth as follows:

**Next row (RS):** P2, working in patt as established BO next 34 sts, work to end of row--71 sts.

Work remaining sts back and forth in rows in patt as established until piece measures 27" from CO edge. BO all sts in patt.

**FINISHING**

Fold hood in half and sew top seam.

Using yarn needle, weave in all loose ends.

Block if necessary, being careful not to stretch out cables.

**Tie**

Using 3 strands of yarn held together and crochet hook, make a chain 50" long.

Weave tie through sts at approximately 9" up from bottom edge.

---