



Puffin Bay Cushion 1 Designed and made by Sally Ablett Size of quilt 20" x 20"

Requirements

Fabrics from the Puffin Bay collection A688.2 - Puffins on blue - $fat_{4}^{1/4}$ 1. 2. A689.1 - Sea holly floral on natural fat¼ 3. A686.3 - Sea holly on heather - $fat^{\frac{1}{4}}$ A687.3 - Sea blue sea - $fat_{4}^{1/4}$ 4. 5. A685.1 - Puffins on rocks light blue fat¼ 6. BB318 - Heather - fat¹/₄ Backing - 5/8yd - 60cm Wadding 22" x 22" Cushion pad 20" x 20"

All measurements include ¼" seam allowances; press each seam as you go.

On fabrics 1 & 2 you need to cut a 45° angle from your corner.



* Cut a 45° angle from top right corner



Cutting

From fabric 1 cut 2 x 2½" x 107/8" † 2 x 2¹/₂" x 107/8" * 2 x 2¹/₂" x 87/8" † 2 x 2¹/₂" x 87/8" * From fabric 2 cut 2 x 2½" x 67/8" † 2 x 2½" x 67/8" * 2 x 2½" x 47/8" † 2 x 2½" x 47/8" * From fabric 3 cut 2 x 17/8" x 145/8" 2 x 17/8" x 117/8" From fabric 4 cut 2 x 17/8" x 117/8" 2 x 17/8" x 9"

From fabric 5 cut $1 \ge 6\frac{1}{2}$ " x $6\frac{1}{2}$ " From fabric 6cut $1 \ge 7\frac{1}{4}$ " x $7\frac{1}{4}$ " cut in half diagonally twice $2 \ge 27/8$ " x 27/8" cut in half diagonally once

Making up cushion block

Lay out the fabric pieces for the cushion as in the main diagram.

Sewing a triangle to the top and bottom of the square, press back. Next stitch the other two triangles to the center square.

Stitch strips of fabric 4 to your work bottom left and top right. Sew the other two strips to make a square. Now sew fabric 3 as before with fabric 4.

Now make up the corner triangles. Starting with the small triangle of fabric 6, to this stitch fabric 2 strips as in the diagram of block, and repeat with fabric 1 strips. Make up all four corners. Sew the triangles to the opposite sides, press back. Stitching the last two triangles to the block. Place onto the wadding and quilt.

Cushion Back

Cut: 1 x 12¾" x 20½" 1 x 12¾" x 20½"

1. Make a double fold to wrong side along one long edge on each backing rectangle and stitch in place.

2. Place cushion front right side up on work surface. Lay one backing rectangle right side down on top, aligning raw edges at bottom edge and sides. Add second backing rectangle on top right side down and aligning raw edges at top edge and sides. Pin in place. Folded edges should overlap by several inches at center.

3. Stitch around all four edges. Add line of zigzag stitches within seam allowance on all four edges for additional strength.

4. Turn right side out and insert an 20" cushion pad.





Puffin Bay Cushion 2

Designed and made by Sally Ablett Size of quilt 20" x 20"

Requirements

Fabrics from the Puffin Bay collection

- 1. A688.1 Puffins on dark cream $fat^{\frac{1}{4}}$
- 2. A689.3 Sea holly floral on dark heather - fat¹⁄₄
- 3. A686.1 Sea holly on light grey $fat^{\frac{1}{4}}$
- 4. A687.1 Light blue sea $fat^{\frac{1}{4}}$
- 5. A685.2 Puffins on rocks grey $fat^{\frac{1}{4}}$
- 6. BB315 Ocean $fat^{\frac{1}{4}}$

Backing - 5/8yd - 60cm Wadding 22" x 22"

Cushion pad 20" x 20"

All measurements include ¼" seam allowances; press each seam as you go.

On fabrics 1 & 2 you need to cut a 45° angle from your corner.





† Cut a 45° angle from top left corner

Cutting

From fabric 1 cut 2 x 2½" x 107/8" † 2 x 2½" x 107/8" * 2 x 2¹/₂" x 87/8" † 2 x 2½" x 87/8" * From fabric 2 cut 2 x 2¹/₂" x 67/8" † 2 x 2½" x 67/8" * 2 x 2¹/₂" x 47/8" † 2 x 2½" x 47/8" * From fabric 3 cut 2 x 17/8" x 145/8" 2 x 17/8" x 117/8" From fabric 4 cut 2 x 17/8" x 117/8" 2 x 17/8" x 9"

From fabric 5 cut $1 \ge 6\frac{1}{2}$ " x $6\frac{1}{2}$ " From fabric 6cut $1 \ge 7\frac{1}{4}$ " x $7\frac{1}{4}$ " cut in half diagonally twice $2 \ge 27/8$ " x 27/8" cut in half diagonally once

Making up cushion block

Lay out the fabric pieces for the cushion as in the main diagram.

Sewing a triangle to the top and bottom of the square, press back. Next stitch the other two triangles to the center square.

Stitch strips of fabric 4 to your work bottom left and top right. Sew the other two strips to make a square. Now sew fabric 3 as before with fabric 4.

Now make up the corner triangles. Starting with the small triangle of fabric 6, to this stitch fabric 2 strips as in the diagram of block, and repeat with fabric 1 strips.

Make up all four corners. Sew the triangles to the opposite sides, press back.

Stitching the last two triangles to the block. Place onto the wadding and quilt.

Cushion Back

Cut: 1 x 12¾" x 20½" 1 x 12¾" x 20½"

1. Make a double fold to wrong side along one long edge on each backing rectangle and stitch in place.

2. Place cushion front right side up on work surface. Lay one backing rectangle right side down on top, aligning raw edges at bottom edge and sides. Add second backing rectangle on top right side down and aligning raw edges at top edge and sides. Pin in place. Folded edges should overlap by several inches at center.

3. Stitch around all four edges. Add line of zigzag stitches within seam allowance on all four edges for additional strength.

4. Turn right side out and insert an 20" cushion pad.





Puffin Bay Cushion 3

Designed and made by Sally Ablett Size of quilt 20" x 20"

Requirements

Fabrics from the Puffin Bay collection

- 1. A688.3 Puffins on warm grey $fat^{\frac{1}{4}}$
- 2. A689.2 Sea holly floral on light blue fat¼
- 3. A686.2 Sea holly on light blue $fat_{4}^{1/4}$
- 4. A687.2 Grey Sea fat¹/₄
- 5. A685.3 Puffins on rocks sea blue fat¼

6. BB314 - Grey blue - fat¼ Backing - 5/8yd - 60cm Wadding 22" x 22" Cushion pad 20" x 20"

All measurements include ¼" seam allowances; press each seam as you go.

On fabrics 1 & 2 you need to cut a 45° angle from your corner.



* Cut a 45° angle from top right corner



Cutting

From fabric 1 cut 2 x 2½" x 107/8" † 2 x 2¹/₂" x 107/8" * 2 x 2¹/₂" x 87/8" † 2 x 2¹/₂" x 87/8" * From fabric 2 cut 2 x 2½" x 67/8" † 2 x 2½" x 67/8" * 2 x 2½" x 47/8" † 2 x 2¹/₂" x 47/8" * From fabric 3 cut 2 x 17/8" x 145/8" 2 x 17/8" x 117/8" From fabric 4 cut 2 x 17/8" x 117/8" 2 x 17/8" x 9"

From fabric 5 cut $1 \ge 6\frac{1}{2} \ge 6\frac{1}{2}$ " From fabric 6cut $1 \ge 7\frac{1}{4} \ge 7\frac{1}{4}$ " cut in half diagonally twice $2 \ge 27/8$ " $\ge 27/8$ " cut in half diagonally once

Making up cushion block

Lay out the fabric pieces for the cushion as in the main diagram.

Sewing a triangle to the top and bottom of the square, press back. Next stitch the other two triangles to the center square.

Stitch strips of fabric 4 to your work bottom left and top right. Sew the other two strips to make a square. Now sew fabric 3 as before with fabric 4.

Now make up the corner triangles. Starting with the small triangle of fabric 6, to this stitch fabric 2 strips as in the diagram of block, and repeat with fabric 1 strips. Make up all four corners. Sew the triangles to the opposite sides, press back. Stitching the last two triangles to the block. Place onto the wadding and quilt.

Cushion Back

Cut: 1 x 12¾" x 20½" 1 x 12¾" x 20½"

1. Make a double fold to wrong side along one long edge on each backing rectangle and stitch in place.

2. Place cushion front right side up on work surface. Lay one backing rectangle right side down on top, aligning raw edges at bottom edge and sides. Add second backing rectangle on top right side down and aligning raw edges at top edge and sides. Pin in place. Folded edges should overlap by several inches at center.

3. Stitch around all four edges. Add line of zigzag stitches within seam allowance on all four edges for additional strength.

4. Turn right side out and insert an 20" cushion pad.