

BROKEN CHEVRON

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring **KONA**[®]
cotton solids



Finished quilt measures: 58" x 66"














Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1339 SNOW	2-1/2 yards		H	K001-482 TERRACOTTA	1/4 yard
	B	K001-1083 COFFEE	1/4 yard		I	K001-857 ROASTED PECAN	1/4 yard
	C	K001-1136 ESPRESSO	1/4 yard		J	K001-178 LEATHER	1/4 yard
	D	K001-1469 RAISIN	1/4 yard		K	K001-1162 HONEY	1/4 yard
	E	K001-1215 MAHOGANY	1/4 yard		L	K001-1045 BROWN	3/8 yard
	F	K001-1042 BRICK	1/4 yard		Binding*	K001-1083 COFFEE	5/8 yard
	G	K001-150 PAPRIKA	1/4 yard				
Copyright 2022, Robert Kaufman For individual use only - Not for resale				You will also need: 3-2/3 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

eight 5" x WOF strip. Subcut:

sixty 5" squares for the HSTs

eight 4-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 4-1/2" x 58-1/2" top/bottom Border 3 strips

two 4-1/2" x 58-1/2" side Border 3 strips

thirteen 4-1/2" squares

five 2-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 2-1/2" x 48-1/2" top/bottom Border 1 strips

two 2-1/2" x 52-1/2" side Border 1 strips

From each of Fabrics B-K, cut:

one 5" x WOF strip. Subcut:

six 5" squares for the HSTs

From Fabric L, cut:

six 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 1-1/2" x 50-1/2" top/bottom Border 2 strips

two 1-1/2" x 56-1/2" side Border 2 strips

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 5" Fabric A square with a 5" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make twelve A/B HSTs.



Step 2: Repeat to make:




twelve
A/C HSTs



twelve
A/D HSTs



twelve
A/E HSTs




twelve
A/F HSTs




twelve
A/G HSTs




twelve
A/H HSTs



twelve
A/I HSTs



twelve
A/J HSTs



twelve
A/K HSTs

Assemble the Quilt

Step 3: Arrange the HSTs and Fabric A squares into thirteen rows of eleven blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 4: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 5: Sew the rows together to form the quilt center. Press the row seams open.

Step 6: Sew the side Border 1 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 1 pieces to the quilt center. Press toward the borders.

Step 7: Sew the side Border 2 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 2 pieces to the quilt center. Press toward the borders.

Step 8: Sew the side Border 3 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 3 pieces to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

