

ROWAN



CARLTON

By Marie Wallin

ROWEB-AUG17

v.1





CARLTON

by Marie Wallin

Craft 
 Skill Level 
 ROWEB-AUG17 
 v.1

SIZE

To fit bust

81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

Actual bust measurement of garment

96	106	116	126	136	cm
38	41½	45½	49½	53½	in

YARN

Felted Tweed Aran

12	13	14	15	17	x 50gm
----	----	----	----	----	--------

(photographed in Granite 719)

**More Yarn
Information**

on knitrowan.com

NEEDLES

1 pair 5mm (no 6) (US 8) needles

Cable needle

TENSION

16 sts and 23 rows to 10 cm measured over st st, 28 sts and 22 rows to 10 cm measured over patt, both using 5mm (US 8) needles.

SPECIAL ABBREVIATIONS

Cr4R = slip next 2 sts onto cable needle and leave at back of work, K2, then P2 from cable needle; **Cr4L** = slip next 2 sts onto cable needle and leave at front of work, P2, then K2 from cable needle.

BACK

Using 5mm (US 8) needles cast on 134 [148: 162: 176: 190] sts.

Beg and ending rows as indicated, noting that chart row 1 is a **WS** row, working chart rows 1 and 2 **once only** and then repeating chart rows 3 to 6 **throughout**, cont in patt from chart as folls:

Work 16 rows, ending with **WS** facing for next row.

Row 17 (WS): P1, (P2tog, P2tog tbl, P2tog, K1) 19 [21: 23: 25: 27] times. 77 [85: 93: 101: 109] sts.

Beg with a K row, now work in st st throughout as folls:

Cont straight until back meas 52 [54: 56: 58: 60] cm, ending with RS facing for next row.

Shape shoulders and back neck

Cast off 8 [9: 10: 12: 13] sts at beg of next 4 [2: 2: 6: 6] rows, then 9 [10: 11: -: -] sts at beg of foll 2 [4: 4: -: -] rows.

Cast off rem 27 [27: 29: 29: 31] sts, placing marker on centre st.

LEFT FRONT

Using 5mm (US 8) needles cast on 67 [74: 81: 88: 95] sts.

Beg and ending rows as indicated, noting that chart row 1 is a **WS** row, working chart rows 1 and 2 **once only** and then repeating chart rows 3 to 6 **throughout**, cont in patt from chart as folls:

Cont straight until left front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Keeping patt correct, cast off 14 [16: 18: 21: 22] sts at beg of next and foll 1 [0: 0: 2: 0] alt rows, then 15 [17: 19: -: 23] sts at beg of foll 1 [2: 2: -: 2] alt rows.

Work 1 row, ending with RS facing for next row.

Cast off rem 24 [24: 25: 25: 27] sts, placing marker on last cast-off st.

RIGHT FRONT

Work as given for left front to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Work 1 row.

Keeping patt correct, cast off 14 [16: 18: 21: 22] sts at beg of next and foll 1 [0: 0: 2: 0] alt rows, then 15 [17: 19: -: 23] sts at beg of foll 1 [2: 2: -: 2] alt rows, ending with RS facing for next row.

Cast off rem 24 [24: 25: 25: 27] sts, placing marker on first cast-off st.

SLEEVES

Using 5mm (US 8) needles cast on 56 [58: 62: 62: 66] sts.

Beg and ending rows as indicated, noting that chart row 1 is a **WS** row, working chart rows 1 and 2 **once only** and then repeating chart rows 3 to 6 **throughout**, cont in patt from chart as folls:

Work 16 rows, ending with **WS** facing for next row.

Row 17 (WS): P0 [1: 1: 1: 1], (P2tog, P2tog tbl, P2tog, P1) 8 [8: 8: 8: 9] times, (P2tog, P2tog tbl) 0 [0: 1: 1: 0] times, (P2tog) 0 [0: 0: 0: 1] times, P0 [1: 1: 1: 0]. 32 [34: 36: 36: 38] sts.

Beg with a K row, now work in st st throughout as folls:

Inc 1 st at each end of 3rd [next: next: next: next] and every foll 6th [4th: 4th: 4th: 4th] row to 46 [38: 42: 54: 68] sts, then on every foll 8th [6th: 6th: 6th: 6th] row until there are 54 [60: 64: 68: 74] sts. Cont straight until sleeve meas 44 [44: 45: 45: 45] cm, ending with RS facing for next row.

Shape top



Cast off 4 [5: 5: 5: 6] sts at beg of next 4 [8: 6: 2: 6] rows, then 5 [-: 6: 6: 7] sts at beg of foll 4 [-: 2: 6: 2] rows.

Cast off rem 18 [20: 22: 22: 24] sts.

MAKING UP

Press as described on the information page.

Matching front opening edge markers to back marker (so that fronts meet at centre back neck), join both shoulder seams using back stitch, or mattress stitch if preferred. Mark points along side seam edges 18 [19.5: 21: 22.5: 24] cm either side of shoulder seams (to denote base of armhole openings). See information page for finishing instructions, setting in sleeves using the straight cast-off method.



Key

- K on RS, P on WS
- P on RS, K on WS
- ▨ Cr4R
- ▩ Cr4L

Information Pages