

# ROWAN

## JALELA

By Vibe Ulrik

ROWEB-APR18

v.1







# JALELA

by Vibe Ulrik

Craft 

Skill Level 

ROWEB-APR18 

v.1

## SIZE

To fit bust

81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

Actual measurement of garment, at lower edge

97	106	117	126	137	cm
38	41½	46	49½	54	in

## YARN

**Creative Linen**

4	4	5	5	6	x 100gm
---	---	---	---	---	---------

(photographed in Raspberry 631)

**More Yarn Information**

on [knitrowan.com](http://knitrowan.com)

## NEEDLES

1 pair 4mm (no 8) (US 6) needles

1 pair 5mm (no 6) (US 8) needles (or, due to number of sts, circular needle if preferred)

## TENSION

18 sts and 13 rows to 10 cm measured over patt using 5mm (US 8) needles.

## SPECIAL ABBREVIATIONS

**Tw2K** = passing right needle point behind first st on left needle K second st on left needle, then K first st and slip both sts off left needle together; **Tw2P** = passing right needle point in front of first st on left needle P second st, then P first st and slip both sts off left needle together. **Note:** When working Tw2P on a row after the row with (yfwd) twice, start by slipping each of the next 2 sts from left needle to right needle dropping the double yfws. Slip sts back onto left needle and work the Tw2P over these 2 elongated sts.

BACK and FRONT (both alike)

Using 4mm (US 6) needles cast on 87 [95: 105: 113: 123] sts.

**Row 1 (RS):** K1, \*P1, K1, rep from \* to end.

**Row 2:** P1, \*K1, P1, rep from \* to end.

These 2 rows form rib.

Work in rib for a further 2 rows, ending with RS facing for next row.

Change to 5mm (US 8) needles.

Now work in patt as follows:

**Row 1 (RS):** K1, \*(yfwd) twice, K1, rep from \* to last st, K1.

**Note:** Each (yfwd) twice of row just worked does NOT count as a st. On next row, drop these double yfws off left needle, creating elongated sts, before working the sts of the next row.

**Row 2:** P2, \*Tw2P (see special abbreviations), rep from \* to last st, P1.

**Row 3:** Cast on 5 sts, work across these 5 sts and rest of row as follows: K1, \*Tw2K (see special abbreviations), rep from \* rep from \* to last st, K1.

**Row 4:** Cast on 5 sts, work across these 5 sts and rest of row as follows: P1, \*Tw2P, rep from \* to last 2 sts, P2.

**Row 5:** Cast on 5 sts, work across these 5 sts and rest of row as follows: K1, \*(yfwd) twice, K1, rep from \* to last st, K1.

**Row 6:** Cast on 5 sts, work across these 5 sts and rest of row as follows: P2, \*Tw2P, rep from \* to last st, P1.

**Row 7:** Cast on 5 sts, work across these 5 sts and rest of row as follows: K1, \*Tw2K, rep from \* to last st, K1.

**Row 8:** Cast on 5 sts, work across these 5 sts and rest of row as follows: P1, \*Tw2P, rep from \* to last 2 sts, P2. 117 [125: 135: 143: 153] sts. Last 8 rows set patt (which is a 4 row repeat – 2 repeats worked so far) and beg sleeve shaping.

Keeping patt correct, cast on 5 sts at beg of next 8 [20: 28: 20: 12] rows, then 6 [6: -: 4: 4] sts at beg of foll 16 [6: -: 10: 20] rows, taking inc sts into patt. 253 [261: 275: 283: 293] sts.

Place markers at both ends of last row (to denote base of cuff opening).

Cont straight until work meas 10 [10.5: 11: 11: 11.5] cm from markers, ending with RS facing for next row.

Place second pair of markers at both ends of last row (to denote top of cuff opening).

## Shape shoulders

Keeping patt correct, cast off 11 [11: 12: 12: 13] sts at beg of next 16 [8: 14: 6: 16] rows, then 12 [12: 13: 13: 14] sts at beg of foll 2 [10: 4: 12: 2] rows, ending with RS facing for next row. 53 [53: 55: 55: 57] sts.

Change to 4mm (US 6) needles.

Beg with row 1, now work in rib as given for cast-on edge as follows: Work 1 row.

Dec 1 st at each end of next 3 rows, ending with RS facing for next row.

Cast off rem 47 [47: 49: 49: 51] sts in rib.


## MAKING UP

Press as described on the information page.

Join shoulder seams from markers denoting top of cuff opening to cast-off edge. Join side seams from cast-on edge to markers denoting

base of cuff opening.

See information page for finishing instructions.



Information  
Pages