

ROWAN




ROCKAWAY

By Martin Storey

ZB225-00006

v.1







ROCKAWAY

by Martin Storey

Craft 

Skill Level 

ZB225-00006 

v.1

SIZE

	S	M	L	XL	XXL	
To fit bust	81-86	91-97	102-107	112-117	122-127	cm
	32-34	36-38	40-42	44-46	48-50	in
Rowan Finest	7	7	8	9	10	x 50gm
(photographed in Temptation 003)						

**More Yarn
Information**

on knitrowan.com

NEEDLES

1 pair 2¾mm (no 12) (US 2) needles
1 pair 3¾mm (no 10) (US 3) needles

BUTTONS – 6 x BN1365 (15mm) from Bedecked. Please see information page for contact details.

TENSION

34 sts and 36 rows to 10 cm measured over patt, 32 sts and 38 rows to 10 cm measured over double moss st, both using 3¾mm (US 3) needles.

Pattern note: As the number of sts varies whilst working patt, count sts after patt rows 1, 2 and 4 **only**. All st counts given relate to the basic number of sts and do NOT take into account any sts lost whilst working patt row 3. When shaping through patt, inc as required to return the number of sts to their original number.

BACK

Using 2¾mm (US 2) needles cast on 147 [163: 183: 205: 227] sts.

Row 1 (RS): P1, *K1, P1, rep from * to end.

Row 2: K1, *P1, K1, rep from * to end.

These 2 rows form rib.

Cont in rib for a further 22 rows, ending with RS facing for next row.

Change to 3¾mm (US 3) needles.

Now work in patt as follows:

Row 1 (RS): K0 [0: 2: 0: 0], P0 [0: 1: 0: 0], K1 [2: 2: 2: 0], P1 [1: 1: 1: 0], *K3, P1, K2, P1, rep from * to last 5 [6: 2: 6: 3] sts, K3 [3: 2: 3: 3], P1 [1: 0: 1: 0], K1 [2: 0: 2: 0].

Row 2: P0 [0: 2: 0: 0], K0 [0: 1: 0: 0], P1 [2: 2: 2: 0], K1 [1: 1: 1: 0], *P3, K1, P2, K1, rep from * to last 5 [6: 2: 6: 3] sts, P3 [3: 2: 3: 3], K1

[1: 0: 1: 0], P1 [2: 0: 2: 0].

Row 3: K0 [0: 2: 0: 0], P0 [0: 1: 0: 0], K1 [2: 2: 2: 0], P1 [1: 1: 1: 0], *sl 1, K2, pass slipped st over **both** of last 2 sts, P1, K2, P1, rep from * to last 5 [6: 2: 6: 3] sts, (sl 1, K2, pass slipped st over **both** of last 2 sts) 1 [1: 0: 1: 1] times, P1 [1: 0: 1: 0], K1 [2: 2: 2: 0].

Row 4: P0 [0: 2: 0: 0], K0 [0: 1: 0: 0], P1 [2: 2: 2: 0], K1 [1: 1: 1: 0], *P1, yrn, P1, K1, P2, K1, rep from * to last 4 [5: 2: 5: 2] sts, (P1, yrn, P1) 1 [1: 0: 1: 1] times, K1 [1: 0: 1: 0], P1 [2: 2: 2: 0].

These 4 rows form patt.

Cont in patt until back meas 23 cm, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 5 [7: 9: 11: 13] sts at beg of next 2 rows. 137 [149: 165: 183: 201] sts.

Dec 1 st at each end of next 5 [7: 9: 11: 13] rows, then on foll 6 [7: 8: 10: 11] alt rows, then on foll 4th row. 113 [119: 129: 139: 151] sts.

Cont straight until armhole meas 18 [19: 20: 21: 22] cm, ending with RS facing for next row.

Shape back neck

Next row (RS): Patt 32 [35: 38: 43: 47] sts and turn, leaving rem sts on a holder.

Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of next 3 rows, ending with RS facing for next row. 29 [32: 35: 40: 44] sts.

Shape shoulder

Cast off 9 [10: 11: 12: 14] sts at beg of next and foll alt row **and at same time** dec 1 st at neck edge of next 3 rows.

Work 1 row.

Cast off rem 8 [9: 10: 13: 13] sts.

With RS facing, slip centre 49 [49: 53: 53: 57] sts onto a holder, rejoin yarn and patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 2¾mm (US 2) needles cast on 79 [87: 97: 107: 119] sts.

Row 1 (RS): P1, *K1, P1, rep from * to last 2 sts, K2.

Row 2: K1, *P1, K1, rep from * to end.

These 2 rows form rib.

Cont in rib for a further 21 rows, ending with **WS** facing for next row.

Row 24 (WS): Rib 9 sts and slip these 9 sts onto a holder (for button band), M1, rib to last 0 [0: 0: 1: 0] st, (inc in last st) 0 [0: 0: 1: 0] times. 71 [79: 89: 100: 111] sts.

Change to 3¾mm (US 3) needles.

Now work in patt as follows:

Row 1 (RS): K0 [0: 2: 0: 0], P0 [0: 1: 0: 0], K1 [2: 2: 2: 0], P1 [1: 1: 1: 0],

*K3, P1, K2, P1, rep from * to last 27 sts, (K1, P1) 13 times, K1.

Row 2: P1, (K1, P1) 13 times, K1, P2, K1, *P3, K1, P2, K1, rep from * to last 5 [6: 2: 6: 3] sts, P3 [3: 2: 3: 3], K1 [1: 0: 1: 0], P1 [2: 0: 2: 0].

Row 3: K0 [0: 2: 0: 0], P0 [0: 1: 0: 0], K1 [2: 2: 2: 0], P1 [1: 1: 1: 0], *sl 1, K2, pass slipped st over **both** of last 2 sts, P1, K2, P1, rep from * to last 27 sts, (P1, K1) 13 times, P1.

Row 4: K1, (P1, K1) 13 times, K1, P2, K1, *P1, yrn, P1, K1, P2, K1, rep from * to last 4 [5: 2: 5: 2] sts, (P1, yrn, P1) 1 [1: 0: 1: 1] times, K1 [1: 0: 1: 0], P1 [2: 2: 2: 0].

These 4 rows set the sts – front opening edge 27 sts in double moss st and rem sts in patt as given for back.

Cont as now set until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Keeping patt correct, cast off 5 [7: 9: 11: 13] sts at beg of next row. 66 [72: 80: 89: 98] sts.

Work 1 row.

Dec 1 st at armhole edge of next 5 [7: 9: 11: 13] rows, then on foll 6 [7: 8: 10: 11] alt rows, then on foll 4th row. 54 [57: 62: 67: 73] sts.

Cont straight until 28 [28: 32: 32: 36] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape front neck

Next row (RS): Patt 40 [43: 48: 53: 59] sts and turn, leaving rem 14 sts on a holder (for neckband).

Keeping patt correct, dec 1 st at neck edge of next 8 rows, then on foll 4 [4: 6: 6: 8] alt rows, then on 2 foll 4th rows. 26 [29: 32: 37: 41] sts.

Work 3 rows, ending with RS facing for next row.

Shape shoulder

Cast off 9 [10: 11: 12: 14] sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 8 [9: 10: 13: 13] sts.

RIGHT FRONT

Using 2¾mm (US 2) needles cast on 79 [87: 97: 107: 119] sts.

Row 1 (RS): K2, P1, *K1, P1, rep from * to end.

Row 2: K1, *P1, K1, rep from * to end.

These 2 rows form rib.

Cont in rib for a further 8 rows, ending with RS facing for next row.

Row 11 (RS): Rib 3, sl 1, K1, pssso, yfwd (to make first buttonhole) rib to end.

Cont in rib for a further 12 rows, ending with **WS** facing for next row.

Row 24 (WS): (Inc in first st) 0 [0: 0: 1: 0] times, rib to last 9 sts, M1 and turn, leaving rem 9 sts on a holder (for buttonhole band). 71 [79: 89: 100: 111] sts.

Change to 3¼mm (US 3) needles.

Now work in patt as folls:

Row 1 (RS): K1, (P1, K1) 13 times, P1, K2, P1, *K3, P1, K2, P1, rep from * to last 5 [6: 2: 6: 3] sts, K3 [3: 2: 3: 3], P1 [1: 0: 1: 0], K1 [2: 0: 2: 0].

Row 2: P0 [0: 2: 0: 0], K0 [0: 1: 0: 0], P1 [2: 2: 2: 0], K1 [1: 1: 1: 0],

*P3, K1, P2, K1, rep from * to last 27 sts, (P1, K1) 13 times, P1.

Row 3: P1, (K1, P1) 13 times, P1, K2, P1, *sl 1, K2, pass slipped st over **both** of last 2 sts, P1, K2, P1, rep from * to last 5 [6: 2: 6: 3] sts, (sl 1, K2, pass slipped st over **both** of last 2 sts) 1 [1: 0: 1: 1] times, P1 [1: 0: 1: 0], K1 [2: 2: 2: 0].

Row 4: P0 [0: 2: 0: 0], K0 [0: 1: 0: 0], P1 [2: 2: 2: 0], K1 [1: 1: 1: 0], *P1, yrn, P1, K1, P2, K1, rep from * to last 27 sts, (K1, P1) 13 times, K1.

These 4 rows set the sts – front opening edge 27 sts in double moss st and rem sts in patt as given for back.

Complete to match left front, reversing shapings and working first row of neck shaping as folls:

Next row (RS): Patt 14 sts and slip these sts onto a holder (for neckband), patt to end. 40 [43: 48: 53: 59] sts.

SLEEVES

Using 2¾mm (US 2) needles cast on 81 [85: 89: 89: 91] sts.

Work in rib as given for back for 24 rows, ending with RS facing for next row.

Change to 3¼mm (US 3) needles.

Now work in patt as folls:

Row 1 (RS): K0 [2: 0: 0: 0], P1 [1: 0: 0: 0], K2 [2: 0: 0: 1], P1, *K3, P1, K2, P1, rep from * to last 0 [2: 4: 4: 5] sts, K0 [2: 3: 3: 3], P0 [0: 1: 1: 1], K0 [0: 0: 0: 1].

Row 2: P0 [2: 0: 0: 0], K1 [1: 0: 0: 0], P2 [2: 0: 0: 1], K1, *P3, K1, P2, K1, rep from * to last 0 [2: 4: 4: 5] sts, P0 [2: 3: 3: 3], K0 [0: 1: 1: 1], P0 [0: 0: 0: 1].

Row 3: K0 [2: 0: 0: 0], P1 [1: 0: 0: 0], K2 [2: 0: 0: 1], P1, *sl 1, K2, pass slipped st over **both** of last 2 sts, P1, K2, P1, rep from * to last 0 [2: 4: 4: 5] sts, (sl 1, K2, pass slipped st over **both** of last 2 sts) 0 [0: 1: 1: 1] times, P0 [0: 1: 1: 1], K0 [2: 0: 0: 1].

Row 4: P0 [2: 0: 0: 0], K1 [1: 0: 0: 0], P2 [2: 0: 0: 1], K1, *P1, yrn, P1, K1, P2, K1, rep from * to last 0 [2: 3: 3: 4] sts, (P1, yrn, P1) 0 [0: 1: 1: 1] times, K0 [0: 1: 1: 1], P0 [2: 0: 0: 1].

These 4 rows form patt.

Cont in patt, shaping sides by inc 1 st at each end of next and every foll 4th row to 85 [93: 99: 117: 131] sts, then on every foll 6th row until there are 109 [115: 121: 127: 133] sts, taking inc sts into patt.

Cont straight until sleeve meas 33 [34: 35: 35: 35] cm, ending with RS facing for next row.

Shape top

Keeping patt correct, cast off 5 [7: 9: 11: 13] sts at beg of next 2 rows. 99 [101: 103: 105: 107] sts.

Dec 1 st at each end of next 5 rows, then on every foll alt row until 59 sts rem, then on foll 15 rows, ending with RS facing for next row. 29 sts.

Cast off 5 sts at beg of next 2 rows.

Cast off rem 19 sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Button band

Slip 9 sts on left front holder onto 2¼mm (US 2) needles and rejoin yarn with RS facing.

Row 1 (RS): K2, *P1, K1, rep from * to last st, K1.

Row 2: K1, *P1, K1, rep from * to end.

These 2 rows form rib.

Cont in rib until button band, when slightly stretched, fits up left front opening edge to beg of front neck shaping, ending with RS facing for next row.

Break yarn and leave these 9 sts on a holder.

Neatly sew button band in place. Mark positions for 6 buttons on this band – first button to come level with buttonhole already worked in right front, last button to come 1 cm above neck shaping, and rem 4 buttons evenly spaced between.

Buttonhole band

Slip 9 sts on right front holder onto 2¼mm (US 2) needles and rejoin yarn with **WS** facing.

Beg with row 2, cont in rib as given for button band until this band, when slightly stretched, fits up right front opening edge to beg of front neck shaping, with the addition of a further 4 buttonholes worked to correspond with positions marked for buttons as follows:

Buttonhole row (RS): K2, P1, sl 1, K1, pssso, yfwd, K1, P1, K2.

When band is correct length, ending with **WS** facing for next row, break yarn and leave these 9 sts on a holder.

Neatly sew buttonhole band in place.

Neckband

With RS facing and using 2¼mm (US 2) needles, slip 9 sts on buttonhole band holder onto right needle, then slip 14 sts on right front holder onto right needle, pick up and knit 29 [29: 32: 32: 35] sts up right side of front neck, and 7 sts down right side of back neck, K across 49 [49: 53: 53: 57] sts on back holder, pick up and knit 7 sts up left side of back neck, and 29 [29: 32: 32: 35] sts down left side of front neck, patt across 14 sts on left front holder, then patt across 9 sts on button band holder. 167 [167: 177: 177: 187] sts.

Beg with row 2, work in rib as given for button band for 3 rows, ending with RS facing for next row.

Row 4 (RS): K2, P1, sl 1, K1, pssso, yfwd, rib to end.

Work in rib for a further 7 rows, ending with RS facing for next row.

Cast off in rib.

See information page for finishing instructions, setting in sleeves using the set-in method.

