

YARNSMITHS




Crochet
Beginner

31 - 56cm

12 - 22ins

Premature - 3 Years

Create
BABY DK



Bobbie
Design N^o.

7027

Bobbie Jacket and Hat

Materials and Measurements

Jacket						
To fit age approximately						
Premature Sizes	0-6 mths	6-12 mths	1-2 yrs	2-3 yrs		
To fit chest sizes						
31	36	41	46	51	56	cm
12	14	16	18	20	22	ins
Actual measurements, approximately						
37	42	48	53	59	64	cm
14.5	16.5	18.75	21	23	25.25	ins
Hat (Width around head)						
31	36	36	40			cm
12.25	14	14	15.75			ins
Length from shoulder						
18	20	23	27	31	35	cm
7.25	7.75	9	10.75	12	13.75	ins
Sleeve seam, with cuff turned back						
9	11	12	15	18	23	cm
3.5	4.25	4.75	6	7.25	9	ins
Yarnsmiths Create Baby DK						
Jacket						
1	1	1	2	2	2	balls
Hat with brim						
1	1	1	1			
Photographed using Shade DK65 Baby Lilac 3mm (UK 11 - USA D/3) and 3.5mm (UK 9 - USA E/4) Crochet Hooks. 3 buttons for Jacket. 1 button for Hat. 4 x Drops 623						

IMPORTANT

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

Use only the Yarnsmiths yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated. The quantities of yarn stated are based on average requirements and are therefore approximate. Instructions given for 31 cm (12 inch) Chest, larger sizes given in

round brackets. Where only one figure is given this applies to all sizes.

ABBREVIATIONS

ch – chain; **htr** – half treble; **ss** – slip stitch; **dc** – double crochet; **htr2tog** – *yarn round hook and insert hook into st, yarn round hook and draw loop through, rept from * once more, yarn round hook and draw through all 5 loops on hook; **st(s)** – stitches; **rept** – repeat; **beg** – beginning; **dec** – decrease; **patt** – pattern; **0** – no sts, rows or times to be worked in that particular size; **cm** – centimetres; **ins** – inches.

TENSION

It is important to check your tension before commencing the garment. 18 sts and 13 rows to 10 cm (4 ins) over half treble fabric on 3.5mm hook.

If there are too many stitches to 10 cm, your tension is tight and you will need to change your hook to a larger size. If there are too few stitches to 10 cm, your tension is loose and you will need to change your hook to a smaller size.

JACKET

BACK

Using 3.5mm hook, make 34 (39, 44, 49, 54, 59) ch.

Foundation row (right side) - 1 htr into 3rd ch from hook, 1 htr into each ch to end, turn. 33 (38, 43, 48, 53, 58) sts.

Commence patt

1st row - 2 ch (counts as first htr) 1 htr into each st to end, working last htr into top of 2 ch at beg of previous row, turn.

This row forms patt.

Work a further 12 (12, 14, 18, 22, 26) rows in patt, thus finishing on a wrong side row.

Shape armholes

Next row - Ss across and into 3rd (3rd, 4th, 4th, 5th, 5th) st, 2 ch (counts as first htr), htr2tog over next 2 sts, 1 htr into each st to last 5 (5, 6, 6, 7, 7) sts, htr2tog over next 2 sts, 1 htr into next st, turn, leaving remaining 2 (2, 3, 3, 4, 4) sts unworked. 27 (32, 35, 40, 43, 48) sts.

Next row - 2 ch (counts as first htr) htr2tog, over next 2 sts, 1 htr into each st to last 3 sts, htr2tog, over next 2 sts, 1 htr into last st, turn.

Rept last row 1 (2, 2, 3, 3, 4) times more. 23 (26, 29, 32, 35, 38) sts.

Work 6 (7, 9, 10, 10, 11) rows without shaping, thus finishing on a right side row.

Fasten off.

Place markers either side of centre 11 (12, 15, 16, 19, 20) sts to denote back neck.

LEFT FRONT

Using 3.5mm hook, make 21 (24, 26, 29, 31, 34) ch.

Work foundation row as given for back. 20 (23, 25, 28, 30, 33) sts.

Girl's version only

Work 13 (13, 15, 19, 23, 27) rows in patt as given for back, thus finishing on a wrong side row.

Boy's version only

Work 4 (6, 6, 10, 10, 12) rows in patt as given for back, thus finishing on a right side row.

Buttonhole row (wrong side)

- 2 ch (counts as first htr), 1 htr into each of next 2 sts, 2 ch, miss 2 sts (to make a buttonhole – on next row work 2 htr into this ch space), 1 htr into each st to end, turn.

Patt 5 (5, 7, 7, 9, 11) rows.

Rept the buttonhole row again.

Patt 2 (0, 0, 0, 2, 2) rows, thus finishing on a wrong side row.

BOTH VERSIONS

Shape armholes

Next row - Ss across and into 3rd (3rd, 4th, 4th, 5th, 5th) st, 2 ch (counts as first htr), htr2tog over next 2 sts, 1 htr into each st to end, turn. 17 (20, 21, 24, 25, 28) sts. Working armhole decreases as given for back, dec 1 st at armhole edge on next 2 (3, 3, 4, 4, 5) rows. 15 (17, 18, 20, 21, 23) sts.

Girl's version only

Patt 2 (3, 5, 4, 4, 5) rows, thus finishing on a right side row.

Boy's version only

Patt 0 (1, 3, 2, 2, 3) rows.

Rept the buttonhole row once more. Patt 1 row, thus finishing on a right side row.

BOTH VERSIONS

Shape neck

Next row (wrong side) - Ss across and into 6 (7, 8, 7, 8, 9)th st, 2 ch, (counts as first htr), htr2tog over next 2 sts, 1 htr into each st to end, turn. 9 (10, 10, 13, 13, 14)

sts.

Working decreases as for armhole, dec 1 st at neck edge on next 3 (3, 3, 5, 5, 5) rows.

Fasten off.

RIGHT FRONT

Using 3.5mm hook, make 21 (24, 26, 29, 31, 34) ch.

Work foundation row as given for back. 20 (23, 25, 28, 30, 33) sts.

Boy's version only

Work 13 (13, 15, 19, 23, 27) rows in patt as given for back, thus finishing on a wrong side row.

Girl's version only

Work 4 (6, 6, 10, 10, 12) rows in patt as given for back, thus finishing on a right side row.

Buttonhole row (wrong side)

- 2 ch (counts as first htr), 1 htr into each st to last 5 sts, 2 ch, miss 2 sts (to make a buttonhole – on next row work 2 htr into this ch space), 1 htr into each of last 3 sts, turn.

Patt 5 (5, 7, 7, 9, 11) rows.

Rept the buttonhole row again.

Patt 2 (0, 0, 0, 2, 2) rows, thus finishing on a wrong side row.

BOTH VERSIONS

Shape armholes

Next row - 2 ch (counts as first htr), 1 htr into each st to last 5 (5, 6, 6, 7, 7) sts, htr2tog over next 2 sts, 1 htr into next st, turn, leaving remaining 2 (2, 3, 3, 4, 4) sts unworked. 17 (20, 21, 24, 25, 28) sts. Working armhole decreases as given for back, dec 1 st at armhole edge on next 2 (3, 3, 4, 4, 5) rows. 15 (17, 18, 20, 21, 23) sts.

Boy's version only

Patt 2 (3, 5, 4, 4, 5) rows, thus finishing on a right side row.

Girl's version only

Patt 0 (1, 3, 2, 2, 3) rows.

Rept the buttonhole row once more. Patt 1 row, thus finishing on a right side row.

BOTH VERSIONS

Shape neck

Next row (wrong side) - 2 ch (counts as first htr), 1 htr into each st to last 8 (9, 10, 9, 10, 11) sts, htr2tog over next 2 sts, 1 htr into next st, turn, leaving remaining 5 (6, 7, 6, 7, 8) sts unworked. 9 (10, 10, 13, 13, 14) sts. Working decreases as for armhole, dec 1 st at neck edge on next 3 (3, 3, 5, 5, 5) rows. Fasten off.

SLEEVES (both alike)

Using 3.5mm hook, make 19 (21, 23, 25, 27, 29) ch.

Work foundation row as given for back. 18 (20, 22, 24, 26, 28) sts. Work 7 rows in patt as given for back, thus finishing on a wrong side row.

Next row - 2 ch (counts as first htr), 2 htr into next st, 1 htr into each st to last 2 sts, 2 htr into next st, 1 htr into last st, turn. Patt 1 row.

Rept last 2 rows 3 (4, 5, 6, 7, 8) times more. 26 (30, 34, 38, 42, 46) sts. Patt a further 0 (0, 0, 2, 4, 8) rows.

Shape top

Next row - Ss across and into 3rd (3rd, 4th, 4th, 5th, 5th) st, 2 ch (counts as first htr), htr2tog, over next 2 sts, 1 htr into each st to last 5 (5, 6, 6, 7, 7) sts, htr2tog, over next 2 sts, 1 htr into next st, turn, leaving remaining 2 (2, 3, 3, 4, 4) sts unworked. 20 (24, 26, 30, 32, 36) sts.

Next row - 2 ch (counts as first htr), htr2tog over next 2 sts, 1 htr into each st to last 3 sts, htr2tog over next 2 sts, 1 htr into last st, turn.

Rept last row 5 (6, 7, 8, 9, 10) times more. 8 (10, 10, 12, 12, 14) sts. Fasten off.

MAKING UP

Join shoulder seams by top sewing. Join side seams by top sewing. Join sleeve seams by top sewing, reversing seam for first 5 rows for turn back. Insert sleeves.

EDGING

With right side facing and using 3mm hook, work 1 round of dc evenly around entire outer edge of jacket, ending round with ss to first dc. Fasten off.

Work edging around cuff edge of sleeves in same way, and then fold first 4 rows to right side at lower edge for turn-back.

Sew on buttons.

HAT

Using 3.5mm hook, make 3 ch and join with a ss to form a ring.

1st round - 2 ch (counts as first htr), 6 (7, 7, 8) htr into ring, ss to top of 2 ch at beg of round.

2nd round - 2 ch (counts as first htr), 1 htr into st at base of htr, 2 htr into each st to end, ss to top of 2 ch at beg of round. 14 (16, 16, 18) sts.

3rd round - 2 ch (counts as first htr), 2 htr into next st, [1 htr into next st, 2 htr into next st] 6 (7, 7, 8) times, ss to top of 2 ch at beg of round. 21 (24, 24, 27) sts.

4th round - 2 ch (counts as first htr), 1 htr into next st, 2 htr into next st, [1 htr into each of next 2 sts, 2 htr into next st] 6 (7, 7, 8) times, ss to top of 2 ch at beg of round. 28 (32, 32, 36) sts.

5th round - 2 ch (counts as first htr), 1 htr into each of next 2 sts, 2 htr into next st, [1 htr into each of next 3 sts, 2 htr into next st] 6 (7, 7, 8) times, ss to top of 2 ch at beg of round. 35 (40, 40, 45).

6th round - 2 ch (counts as first htr), 1 htr into each of next 3 sts, 2 htr into next st, [1 htr into each of next 4 sts, 2 htr into next st] 6 (7, 7, 8) times, ss to top of 2 ch at beg of round. 42 (48, 48, 54) sts.

7th round - 2 ch (counts as first

htr), 1 htr into each of next 4 sts, 2 htr into next st, [1 htr into each of next 5 sts, 2 htr into next st] 6 (7, 7, 8) times, ss to top of 2 ch at beg of round. 49 (56, 56, 63) sts.

8th round - 2 ch (counts as first htr), 1 htr into each of next 5 sts, 2 htr into next st, [1 htr into each of next 6 sts, 2 htr into next st] 6 (7, 7, 8) times, ss to top of 2 ch at beg of round. 56 (64, 64, 72) sts.

9th round - 2 ch (counts as first htr), 1 htr into each st to end, ss to top of 2 ch at beg of round.

Rept last round 7 (8, 8, 9) times more.

Next round - 2 ch (counts as first htr), 1 htr into each of next 2 sts, 2 htr into next st, *1 htr into each of next 3 sts, 2 htr into next st, rept from * to end, ss to top of 2 ch at beg of round. 70 (80, 80, 90) sts.

Rept 9th round once.

Next row - 2 ch (counts as first htr), 1 htr into each of next 3 sts, 2 htr into next st, * 1 htr into each of next 4 sts, 2 htr into next st, rept from * to end, ss to top of 2 ch at beg of round. 84 (96, 96, 108) sts.

Rept 9th round once.

Change to 3mm hook.

Next round - 1 ch (does NOT count as st), 1 dc into each st to end, ss to top of first dc.

Fasten off.

For washing and pressing instructions see ball band.

Email: sales@yarnsmiths.co.uk