

YARNSMITHS

HARPER
JUMPER



Knitting
Intermediate
71 - 112cm
28 - 44ins
Approx. 1 to 11 Years

Create
DOUBLE KNITTING

Design N°.

7001

Harper Jumper

Materials and Measurements

Instructions given for 51 cm. (20 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.							
To Fit Ages	1-2	2-3	4-5	6-7	8-9	10-11	Years
To Fit Chest Sizes	51	56	61	66	71	76	cm
	20	22	24	26	28	30	ins
Actual Measurements	57	62	67.5	77.5	82.5	87.5	cm
	22.5	24.5	26.5	30.5	32.5	34.5	ins
Length from Shoulders	35.5	39.5	44.5	49.5	57	62	cm
	14	15.5	17.5	19.5	22.5	24.5	ins
Sleeve Seam	20.5	25.5	30.5	34	38	42	cm
	8	10	12	13	15	16.5	ins
Yarnsmiths Create DK	3	4	4	5	5	6	Balls
1 Pair 3.25mm (UK 10 - US 4) Knitting Needles Cable Needles Stitch Holders							
Jumper photographed in Shade 3420 Peachy Pink							

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Yarnsmiths yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K - Knit; **P** - Purl; **st(s)** - stitch(es); **patt** - pattern; **sl** - slip; **rept** - repeat; **inc** - increase; **dec** - decrease; **beg** - beginning; **alt** - alternate; **C4L** - cross 4 left, sl. next 3 sts. onto a cable needle to front of work, p. 1, then K.3 from cable needle; **C4R** - cross 4 right, sl. next st. onto a cable needle to back of work, K.3, then P.1 from cable

needle; **C6B** - cable 6 back, sl. next 3 sts. onto a cable needle to back of work, K.3, then K.3 from cable needle; **C6F** - cable 6 front, sl. next 3 sts. onto a cable needle to front of work, K3, then K3 from cable needle; **cm** - centimetres; **ins** - inches.

TENSION

It is important to check your tension before commencing the garment.

32 sts and 31 rows to 10 cm. (4 ins.) over rib on 4 mm. Needles. Central panel 29 sts measures 9.5 cm. (3.75ins.).

If there are too many stitches to 10 cm, your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm, your tension is loose and you will need to change your needle to a smaller size.

BACK

Using 4 mm. Needles, cast on 90

(98, 106, 122, 130, 138) sts.

1st Row (Right Side) - K2, * P2, K2, rept from * to end.

2nd Row - P2, * K2, P2, rept from * to end.

These 2 rows form the rib patt. Continue in patt until work measures 35.5 (39.5, 44.5, 49.5, 57, 62) cm. 14 (15.5, 17.5, 19.5, 22.5, 24.5) ins ending on a wrong side row.

Shape Shoulders

Cast off 27 (30, 33, 39, 42, 46) sts. at beg of next 2 rows.

Sl remaining 36 (38, 40, 44, 46, 46) sts onto a st holder.

FRONT

Using 4 mm Needles, cast on 94 (102, 110, 126, 134, 142) sts.

Work 5 rows in rib patt as given for Back.

Next Row (Dec. Row) - [P2, K2]

8 (9, 10, 12, 13, 14) times,

* P2tog., rib 6, P2tog., rib 4,

* K2tog., rib 4, rept from * to *

once, [K2, P2.] 7 (8, 9, 11, 12, 13)

times. 89 (97, 105, 121, 129, 137) sts.

Commence Patt.

1st Row - [K2, P2] 8 (9, 10, 12, 13, 14) times, P3, [K3, P2, K3, P3] twice, [P2, K2] to end.

2nd Row - [P2, K2] 8 (9, 10, 12, 13, 14) times, K3, [P3, K2, P3, K3] twice, [K2, P2] to end.

3rd to 6th Rows - Rept 1 st and 2nd Rows twice.

7th Row - [K2, P2] 8 (9, 10, 12, 13, 14) times, P3, [C4L., C4R., P3] twice, [P2, K2] to end.

8th Row - [P2, K2] 8 (9, 10, 12, 13, 14) times, K4, P6, K5, P6, K4, [K2, P2] to end.

9th Row - [K2, P2] 8 (9, 10, 12, 13, 14) times, P4, C6B., P5, C6F, P4, [P2, K2] to end.

10th Row - As 8th Row.

11th Row - [K2, P2] 8 (9, 10, 12, 13, 14) times, P4, K6, P5, K6, P4, [P2, K2] to end.

12th Row - As 8th Row.

13th Row - As 9th Row.

14th Row - As 8th Row.

15th Row - As 11th Row.

16th Row - As 8th Row.

17th Row - As 9th Row.

18th Row - As 8th Row.

19th Row - [K2, P2] 8 (9, 10, 12, 13, 14) times, P3, [C4R, C4L, P3] twice, [P2, K2] to end.

20th Row - As 2nd Row.

These 20 rows form the cable patt.

Continue in patt until work measures 14 (16, 16, 18, 18, 18) rows less than Back to shoulder shaping.

Shape Neck

Next Row - Patt 33 (36, 39, 47, 50, 53) turn and complete this side first.

** Dec. 1 st at neck edge on every row until 29(32, 35, 41, 44, 48) sts remain, then on every following alt row until 27 (30, 33, 39, 42, 46) sts remain. Work 5 (7, 7, 7, 7, 8) rows straight, thus ending at side edge. (work 1 more row for 2nd side)

Cast off in patt. **

With right side facing sl centre 23 (25, 27, 27, 29, 31) sts onto a st holder, rejoin yarn to remaining sts and patt to end.

Work as instructions given for other side from ** to **.

SLEEVES (Both Alike)

Using 3.25mm Needles, cast on 32 (38, 38, 41, 41, 47) sts.

1st Row (Right Side) - K2, * P1, K2, rept from * to end.

2nd Row - P2, * K1, P2, rept from * to end.

Rept. 1st and 2nd Rows until work measures 4 (4, 5, 5, 5, 5) cm. 1.5 (1.5, 2, 2, 2, 2) ins ending on a 1st Row.

Next Row (Inc. Row) - * P2, inc in next st, rept from * to last 2 sts., P2. 42 (50, 50, 54, 54, 62) sts. Change to 4 mm Needles.

Continue in rib patt. as given for Back, inc. 1 st at each end of the needle on the next and every following alt row until 90 (86, 94, 86, 80, 76) sts, then on every following 4th row until 90 (98, 106, 110, 114, 122) sts are on the needle.

Continue without further shaping until work measures 20.5 (25.5, 30.5, 34, 38, 42) cm, 8 (10, 12, 13,

15, 16.5) ins from commencement ending on a wrong side row. Cast off in rib patt.

MAKING UP

Join right shoulder seam by top sewing.

Neckband

With right side facing, using 3.25 mm. Needles, pick up and K12 (14, 16, 18, 20, 19) sts down left front neck, K sts from front neck st holder dec 1 st at centre, pick up and K11 (13, 15, 17, 19, 18) sts up right front neck and patt. across sts from back neck st holder as set. 81 (89, 97, 105, 113, 113) sts.

Next Row - P0 (0, 1, 0, 0, 0), K1 (2, 2, 1, 2, 2), * P2, K2, rept from * to last 0 (3, 2, 0, 3, 3) sts., P0 (2, 2, 0, 2, 2), K0 (1, 0, 0, 1, 1).

Next Row - P0 (1, 0, 0, 1, 1), K0 (2, 2, 0, 2, 2), * P2, K2 rept. from * to last 1 (2, 3, 1, 2, 2) sts, P1 (2, 2, 1, 2, 2), K0 (0, 1, 0, 0, 0).

Rept. the last 2 rows until neckband measures 4 cm. (1.5 ins).

Cast off in rib patt.

Join left shoulder and neckband seams by top sewing.

Mark depth of armholes 14 (15, 16.5, 17, 18.5, 19) cm, 5.5 (6, 6.5, 6.75, 7.25, 7.5) ins from shoulder seams.

Join side seams to markers and sleeve seams by top sewing.

Pin sleeves into position. Sew in by top sewing.

For washing and pressing instructions see ball band.



Email: sales@yarnsmiths.co.uk

© YARNSMITHS All our designs and publications are protected by copyright. Unauthorised copying in any form, is illegal and represents a breach of this copyright. In the event of any unauthorised and illegal copying we reserve the right to take appropriate legal action to protect our interests.