

YARNSMITHS



Knitting
Beginner

41 - 61cm

16 - 24ins

Approx. 1 Mth - 3 Yrs

Create

BABY DK

Stevie and Nickie

Design N°

7040

Jumper and Dress

Materials and Measurements

| | | | | | |
|--|-------|-------|-------|-------|-------|
| Jumper | | | | | |
| To fit chest sizes | | | | | |
| 41 | 46 | 51 | 56 | 61 | cm |
| 16 | 18 | 20 | 22 | 24 | ins |
| Actual measurements | | | | | |
| 49 | 54 | 59 | 64 | 69 | cm |
| 19.25 | 21.25 | 23.25 | 25.25 | 27.25 | ins |
| Jumper Length from Back Neck | | | | | |
| 22 | 26 | 30 | 34 | 39 | cm |
| 8.75 | 10.25 | 11.75 | 13.25 | 15.25 | ins |
| Dress Length from Back Neck | | | | | |
| 34 | 40 | 47 | 53 | 60 | cm |
| 13.5 | 15.75 | 18.5 | 20.75 | 23.5 | balls |
| Jumper Sleeve Seam | | | | | |
| 12 | 15 | 19 | 23 | 27 | cm |
| 4.75 | 6 | 7.5 | 9 | 10.5 | ins |
| Yarnsmiths Create Baby DK | | | | | |
| Jumper with Contrast Edging Main | | | | | |
| 1 | 1 | 2 | 2 | 2 | Balls |
| Contrast | | | | | |
| 1 | 1 | 1 | 1 | 1 | Ball |
| Striped Jumper Main | | | | | |
| 1 | 1 | 2 | 2 | 2 | Balls |
| Contrast | | | | | |
| 1 | 1 | 1 | 1 | 1 | Ball |
| Dress Main | | | | | |
| 1 | 2 | 2 | 2 | 3 | Balls |
| Contrast | | | | | |
| 1 | 1 | 1 | 1 | 1 | Ball |
| 1 pair 4.00mm (UK8 - US6), 1 pair 3.25mm (UK10 - US3) and 1 Pair 3.75mm (UK9 - US5) Knitting Needles. Stitch Holders, Button - Drops 619 | | | | | |
| Photographed using shades: | | | | | |
| Striped Sweater | | | | | |
| Yarnsmiths Create Baby DK Baby White (DK05) and Baby Silver (DK20) | | | | | |
| Pinafore Dress | | | | | |
| Yarnsmiths Create Baby DK Baby White (DK05) and Baby Lilac (DK65) | | | | | |

Instructions given for 41 cm (16 inch) Chest, larger sizes given in brackets. Where only one figure is given this applies to all sizes. Please note that the limitations of the printing process mean the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Yarnsmiths yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated. The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

alt - alternate; **beg** - beginning; **cm** - centimetres; **dec** - decrease; **g st** - garter stitch (K every row); **inc** - increase; **ins** - inches; **K** - Knit; **P** - Purl; **psso** - pass slipped stitch over; **patt** - pattern; **rept** - repeat; **sl 1** - slip one stitch; **st(s)** - stitch(es); **st st** - stocking stitch (K 1 row, P 1 row); **tog** - together; **yfwd** - yarn forward. **M** - main; **C** Contrast Colour

TENSION

It is important to check your tension before commencing the garment. 24 sts and 32 rows to 10 cm (4 ins) over st st on 4 mm needles. 24 sts and 42 rows to 10 cm (4 ins) over g st on 3.75 mm needles.

If there are too many stitches to 10 cm, your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm, your tension is loose and you will need to change your needle to a smaller size.

JUMPER WITH CONTRAST EDGING BACK

Using 3.25mm needles and C, cast on 59 (65, 71, 77, 83) sts.

1st Row (Wrong side) - Knit.

Break off C and join in M.

Using M only, continue as follows:-

Work in g st for 4 rows, finishing on a wrong side row.

Change to 4 mm needles.

Starting with a K row, now work in st st throughout as follows:-

**Continue straight until Back measures 11 (14, 17, 20, 24) cm, 4.25 (5.5, 6.5, 7.75, 9.25) ins, finishing on a wrong side row.

Shape Armholes

Cast off 3 sts at beg of next 2 rows. 53 (59, 65, 71, 77) sts

Dec 1 st at each end of next 4 rows, finishing on a wrong side row.

Break yarn and leave remaining 45 (51, 57, 63, 69) sts on a st holder (for Yoke).

FRONT

Work as given for Back to start of armhole shaping, finishing on a wrong side row.

Shape Armholes and Front Neck

Next Row (Right side) – Cast off 3 sts, K until there are 11 sts on right needle and turn, leaving remaining 45 (51, 57, 63, 69) sts on a st holder.

Work on this set of 11 sts only for first side of neck.

Dec 1 st at beg of next row, then at each end of following 4 rows, finishing on a wrong side row.

Next Row (Right side) – K2tog and fasten off.

Return to sts left on st holder; slip centre 31 (37, 43, 49, 55) sts onto another st holder (for Yoke), re-join yarn with right side facing, K to end. 14 sts

Cast off 3 sts at beg and dec 1 st at end of next row. 10 sts

Dec 1 st at each end of next 4 rows, finishing on a wrong side row.

Next Row (Right side) – K2tog and fasten off.

SLEEVES (Both Alike)

Using 3.25mm needles and C, cast on 30 (32, 34, 36, 38) sts.

1st Row (Wrong side) – Knit.

Break off C and join in M.

Using M only, continue as follows:-

Work in g st for 4 rows, finishing on a wrong side row.

Change to 4 mm needles.

Starting with a K row, now work in st st throughout as follows:-

Inc 1 st at each end of next (next, next, next, 3rd) and 10 (7, 4, 0, 13) following alt (alt, alt, alt, 4th) rows, then on 1 (5, 9, 14, 2) following 4th (4th, 4th, 4th, 6th) rows. 54 (58, 62, 66, 70) sts

Continue straight until Sleeve measures 12 (15, 19, 23, 27) cm, 4.75 (6, 7.5, 9, 10.5) ins, finishing on a wrong side row.

Shape Top

Cast off 3 sts at beg of next 2 rows. 48 (52, 56, 60, 64) sts

Dec 1 st at each end of next 4 rows, finishing on a wrong side row.

Break yarn and leave remaining 40 (44, 48, 52, 56) sts on a st holder (for Yoke).

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

Sew sleeves into armholes along both back and right front armhole edges by top-sewing.

Yoke

With right side facing, using 3.75 mm needles and M, starting and ending at left front armhole edges, pick up and knit 5 sts down left side of front neck, K across 31 (37, 43, 49, 55) sts on front holder, pick up and knit 5 sts up right side of front neck, then K across 40 (44, 48, 52, 56) sts on right sleeve holder, 45 (51, 57, 63, 69) sts on back holder, and 40 (44, 48, 52, 56) sts on left sleeve holder; turn and cast on 5 sts 171 (191, 211, 231, 251) sts

Working in g st throughout, continue as follows:-

Work 1 row.

Next Row (Right side) – K1, [K4, K2tog, K4] 17 (19, 21, 23, 25) times. 154 (172, 190, 208, 226) sts

Work 5 (5, 5, 7, 7) rows.

*****Next Row** – K1, [K2tog, yfwd (to make first buttonhole), K2, sl 1, K1, pss0, K3] 0 (0, 0, 1, 1) times, [K4, sl 1, K1, pss0, K3] 17 (19, 20, 22, 24) times. 137 (153, 169, 185, 201) sts

Work 1 (1, 1, 7, 7) rows.

For 1st, 2nd and 3rd Sizes Only

Work 4 (4, 6) rows.

For All Sizes

Next Row – K1, [K3, K2tog, K3] 17 (19, 21, 23, 25) times. 120 (134, 148, 162, 176) sts

Work 5 (5, 7, 7, 9) rows.

Next Row – K1, [K3, sl 1, K1, pss0, K2] 17 (19, 21, 23, 25) times. 103 (115, 127, 139, 151) sts

Work 1 (3, 1, 1, 1) rows.

Next Row – K1, K2tog, yfwd (to make 2nd buttonhole), K to end.

Work 3 (3, 5, 5, 7) rows.

Next Row – K1, [K2, K2tog, K2] 17 (19, 21, 23, 25) times. 86 (96, 106, 116, 126) sts

Work 5 (7, 7, 9, 9) rows.

Next Row – K1, [K2, sl 1, K1, pss0, K1] 17 (19, 21, 23, 25) times. 69 (77, 85, 93, 101) sts

Work 1 row.

Next Row – K1, K2tog, yfwd (to make 3rd buttonhole), K to end.

Work 2 rows, finishing on a right side row.

Cast off knitwise (on wrong side).

MAKING UP

Join left front armhole seam, then sew 5 cast-on sts at lower edge of yoke in place to pick-up row on inside. Join side and sleeve seams by top-sewing. Attach buttons to correspond with buttonholes.

STRIPED JUMPER

BACK

Using 3.25 mm needles and M, cast on 59 (65, 71, 77, 83) sts.

Noting that first row is a wrong side row, work in g st for 5 rows, finishing on a wrong side row.

Change to 4 mm needles.

Starting with a K row, now work in st st throughout as follows:-
Join in C.

Using C, work 2 rows.

Using M, work 2 rows.

These 4 rows form striped st st.

Working in striped st st throughout, complete as given for Back of Sweater with Contrast Edging from **.

FRONT

Work as given for Front of Jumper with Contrast Edging, remembering to work in stripes as given for Back of this jumper.

SLEEVES (Both Alike)

Using 3.25 mm needles and M, cast on 30 (32, 34, 36, 38) sts.

Noting that first row is a wrong side row, work in g st for 5 rows, finishing on a wrong side row.

Change to 4 mm needles.

Starting with a K row and 2 rows using C, now work in striped st st as given for Back throughout and continue as follows:-

Inc 1 st at each end of next (next, next, next, 3rd) and 10 (7, 4, 0, 13) following alt (alt, alt, alt, 4th) rows, then on 1 (5, 9, 14, 2) following 4th (4th, 4th, 4th, 6th) rows. 54 (58, 62, 66, 70) sts

Continue straight until Sleeve measures approx 12 (15, 19, 23, 27) cm, 4.75 (6, 7.5, 9, 10.5) ins, finishing on same stripe row as on Back to start of armhole shaping and on a wrong side row.

Complete as given for Sleeves of Jumper with Contrast Edging from start of sleeve top shaping.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

Sew sleeves into armholes along both back and right front armhole edges by top-sewing.

Yoke

Work as given for Yoke of Jumper with Contrast Edging.

Join left front armhole seam, then sew 5 cast-on sts at lower edge of yoke in place to pick-up row on inside. Join side and sleeve seams by top-sewing. Attach buttons to correspond with buttonholes.

DRESS

BACK

Using 3.25 mm needles and M, cast on 69 (77, 85, 95, 103) sts.

Noting that first row is a wrong side row, work in g st for 5 rows, finishing on a wrong side row.

Change to 4 mm needles.

Starting with a K row, now work in st st throughout as follows:-

Dec 1 st at each end of 9th (13th, 17th, 9th, 15th) and every following 12th row until 59 (65, 71, 77, 83) sts remain.

Continue straight until Back measures 23 (28, 34, 39, 45) cm, 9 (11, 13.5, 15.25, 17.75) ins, finishing on a wrong side row.

Complete as given for Back of Jumper with Contrast Edging from start of armhole shaping.

FRONT

Work as given for Back to start of armhole shaping, finishing on a wrong side row.

Complete as given for Front of Jumper with Contrast Edging from start of armhole and front neck shaping.

PRESSING

With wrong side facing, pin out all pieces to measurements given.

MAKING UP

Yoke

With right side facing, Using 3.75 mm needles and M, starting and ending at left front armhole edges, pick up and knit 5 sts down left side of front neck, K across 31 (37, 43, 49, 55) sts on front holder, pick up and knit 5 sts up right side of front neck, turn and cast on 40 (44, 48, 52, 56) sts, turn and K across 45 (51, 57, 63, 69) sts on back holder, turn and cast on 45 (49, 53, 57, 61) sts. 171 (191, 211, 231, 251) sts

Working in g st throughout, continue as follows:-

Work 1 row.

Join in C.

Next Row (Right side) – Using C, K1, [K4, K2tog, K4] 17 (19, 21, 23,

25) times. 154 (172, 190, 208, 226) sts

Using C, work 1 row more.

Using M, work 2 rows.

Last 4 rows form striped g st.

Keeping stripes correct throughout, continue as follows:-

Work 2 (2, 2, 4, 4) rows.

Complete as given for Yoke of Jumper with Contrast Edging from ***.

Overlap ends of Yoke by 5 sts and sew cast-on edge of these 5 sts

in place to pick-up row on inside.

Join side seams by top-sewing.

Attach buttons to correspond with buttonholes.



Email: sales@yarnsmiths.co.uk

© YARNSMITHS All our designs and publications are protected by copyright. Unauthorised copying in any form, is illegal and represents a breach of this copyright. In the event of any unauthorised and illegal copying we reserve the right to take appropriate legal action to protect our interests.