

YARNSMITHS



Knit
Advanced
81 - 117cm
32 - 46ins

Create

ARAN

Rustic
Cardigans
Design N°.

7068

Rustic Cardigans

Materials and Measurements

To fit Bust/Chest Sizes								
81	87	91	97	102	107	112	117	cm
32	34	36	38	40	42	44	46	in
Actual Measurements								
94	98	102	109	113	117	124	128	cm
37.5	39	41	43.5	45	47	49.5	51	in
Length from back neck								
62	64	66	68	70	70	72	74	cm
24.5	25.25	26	26.75	27.5	27.5	28.25	29	in
Sleeve Seam								
43	43	44	44	45	45	46	46	cm
17	17	17.25	17.25	17.75	17.75	18	18	ins
Yarnsmiths Create Aran								
Round Neck								
6	7	7	8	8	9	9	9	Balls
V-Neck								
6	7	7	8	8	9	9	9	Balls
Photographed using Shades; Cream 4050 - Round Neck Brown Bear 4070 - V-Neck 4mm (US6) and 5mm (US8) Knitting Needles Cable Needle Stitch Markers 7(7, 7, 7, 8, 8, 8, 8) Buttons for Round Neck, 6 Buttons for V-Neck								

needle; **T4B** (Twist 4 Back) - slip next 2 sts onto cable needle and hold at back of work, knit next 2 sts from left hand needle, then purl st from cable needle.

TENSION

It is important to check your tension before commencing the garment. 20sts and 26rows to 10cm (4ins) over double moss st on 5mm needles. If there are too many stitches to 10cm, then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10cm, then your tension is loose and you will need to change your needle to a smaller size.

PATTERN PANEL

(Worked, across 30 sts between markers)

1st row (wrong side) - K2, P4, K5, P4, K4, P2, K3, P4, K2.

2nd row - P2, C4B, P3, T4F, P2, C4B, P5, C4F, P2.

3rd row - K2, P4, K5, P4, K2, P2, K5, P4, K2.

4th row - P2, K4, P5, K2, T4B, K2, P5, K4, P2.

5th row - K2, P4, K5, P2, K2, P4, K5, P4, K2.

6th row - P2, C4B, P5, C4F, P2, T4F, P3, C4F, P2.

7th row - K2, P4, K3, P2, K4, P4, K5, P4, K2.

8th row - P2, K4, P5, K4, P4, K2, P3, K4, P2.

9th row - As 7th row.

10th row - P2, C4B, P5, C4F, P4, K2, P3, C4F, P2.

11th row - As 7th row.

12th row - As 8th row.

13th row - As 7th row.

14th row - P2, C4B, P5, C4F, P2, T4B, P3, C4F, P2.

15th row - As 5th row.

16th row - P2, K4, P5, K2, T4F, K2, P5, K4, P2.

17th row - K2, P4, K5, P4, K2, P2, K5, P4, K2.

18th row - P2, C4B, P3, T4B, P2, C4B, P5, C4F, P2.

19th row - K2, P4, K5, P4, K4, P2, K3, P4, K2.

20th row - P2, K4, P3, K2, P4, K4, P5, K4, P2.

IMPORTANT

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

Use only the Yarnsmiths yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated. The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

alt - alternate; **beg** - beginning; **cm** - centimetres; **dec** - decrease;

inc - increase; **ins** - inches; **K** - knit; **P** - purl; **psso** - pass slipped stitch over; **rept** - repeat; **sl** - slip; **st(s)** - stitch(es); **st st** - stocking stitch (1 row knit, 1 row purl); **tbl** - through back of loop; **tog** - together; **Slip marker** - slip the marker from one needle to the other until the pattern is established and the marker is no longer required; **M3** (Make 3) - work [K1, P1, K1] into next st; **C4B or C4F** (Cable 4 Back or Cable 4 Front) - slip next 2 sts onto cable needle and hold at back (or front) of work, knit next 2 sts from left hand needle, then knit sts from cable needle; **T4F** (Twist 4 Front) - slip next 2 sts onto cable needle and hold at front of work, purl next 2 sts from left hand needle, then knit sts from cable

21st row - As 1st row.

22nd row - P2, C4B, P3, K2, P4, C4B, P5, C4F, P2.

23rd row - As 1st row.

24th row - As 20th row.

These 24 rows form the pattern panel.

BACK (both styles)

Using 4mm needles cast on 75 (77, 81, 87, 91, 95, 99, 103) sts.

1st row (right side) - K1, *P1, K1, rept from * to end.

2nd row - P1, *K1, P1; rept from * to end.

Rept the last 2 rows 8 times more.

Next row (increase) - Rib 2 (1, 3, 4, 6, 8, 6, 8), *inc in next st, work 1 st; rept from * to last 3 (2, 4, 5, 7, 9, 7, 9) sts, inc in next st, rib to end. 111 (115, 119, 127, 131, 135, 143, 147) sts.

Change to 5mm needles

Commence pattern

1st row - [K1, P1] 3 (4, 5, 5, 6, 7, 7, 8) times, *place marker, work 1st row of pattern panel across next 30 sts, place marker*, [M3, P3tog] 2 (2, 2, 3, 3, 3, 4, 4) times, K2, P4, K2, [P1, K1] 3 times, P1, K2, P4, K2, [M3, P3tog] 2 (2, 2, 3, 3, 3, 4, 4) times, rept from * to * [P1, K1] 3 (4, 5, 5, 6, 7, 7, 8) times.

On following rows slip markers as you come to them.

2nd row - [P1, K1] 3 (4, 5, 5, 6, 7, 7, 8) times, *work 2nd row of pattern panel*, P10 (10, 10, 14, 14, 14, 18, 18), C4B, P2, [K1, P1] 3 times, K1, P2, C4F, P10 (10, 10, 14, 14, 14, 18, 18), rept from * to *, [K1, P1] 3 (4, 5, 5, 6, 7, 7, 8) times.

3rd row - [P1, K1] 3 (4, 5, 5, 6, 7, 7, 8) times, *work 3rd row of pattern panel*, [P3tog, M3] 2 (2, 2, 3, 3, 3, 4, 4) times, K2, P4, K3, [P1, K1] twice, P1, K3, P4, K2, [P3tog, M3] 2 (2, 2, 3, 3, 3, 4, 4) times, rept from * to * [K1, P1] 3 (4, 5, 5, 6, 7, 7, 8) times.

4th row - [K1, P1] 3 (4, 5, 5, 6, 7, 7, 8) times, *work 4th row of pattern panel*, P10 (10, 10, 14, 14, 14, 18, 18), K4, P3, [K1, P1] twice, K1, P3, K4, P10 (10, 10, 14, 14, 14, 18, 18) rept from * to * [P1, K1] 3

(4, 5, 5, 6, 7, 7, 8) times.

The last 4 rows form the double moss st and blackberry st at either side and between pattern panels.

Keeping the 24 rows of each pattern panel correct on sts between markers rept the last 4 rows until back measures 39 (39, 41, 41, 42, 42, 42, 42)cm, 15.25 (15.25, 16, 16, 16.25, 16.25, 16.25, 16.25)ins, or required length to armholes ending with a wrong side row.

Shape Raglan Armholes

Keeping pattern correct cast off 4 (4, 4, 5, 5, 5, 6, 6) sts at beg of next 2 rows.

3rd row - K1, sl 1, K1, pssso, work in pattern to last 3 sts, K2tog, K1.

4th row - P2, work in pattern to last 2 sts, P2. Rept the last 2 rows until 81 (77, 89, 91, 87, 99, 101, 97) sts remain ending with the wrong side row.

Note:When there are insufficient sts to work a complete repeat in blackberry st, work odd sts in reverse st st.

Next row - K1, sl 1, K2tog, pssso, work to last 4 sts, K3tog, K1.

Next row - As 4th row.

Next row - As 3rd row.

Next row - As 4th row.

Rept the last 4 rows until 33 (35, 35, 37, 39, 39, 41, 43) sts remain ending with the dec row.

Next row (decrease) - Work 1 (2, 2, 3, 1, 1, 1, 2) sts, *work 2tog, work 2 (2, 2, 2, 3, 3, 2, 2) sts; rept from * to last 4 (5, 5, 6, 3, 3, 4, 5) sts, work 2tog, work to end.

Slip remaining 25 (27, 27, 29, 31, 31, 31, 33) sts onto a holder for Round Neck Cardigan, cast sts off for V-Neck Cardigan.

Sleeves (both styles)

Using 4mm needles cast on 41 (41, 43, 45, 49, 49, 51, 53) sts and work 6 (6, 6, 6, 7, 7, 7, 7)cm, 2.5 (2.5, 2.5, 2.5, 2.75, 2.75, 2.75, 2.75) ins in K1, P1 rib as given for Back ending with a wrong side row.

Next row (increase) - Rib 2 (2, 1, 1, 3, 3, 2, 2), *inc in each of next 2 sts, work 1 st, rept from * to last 3 (3, 3, 2, 4, 4, 4, 3) sts, inc in next

st, rib to end. 66 (66, 70, 74, 78, 78, 82, 86) sts.

Change to 5mm needles

Commence pattern

1st row - [K1, P1] 1 (1, 2, 1, 2, 2, 1, 2) times, K2, P4, K2, [M3, P3tog] 2 (2, 2, 3, 3, 3, 4, 4) times, place marker, work 1st row of pattern panel across next 30 sts, place marker, [M3, P3tog] 2 (2, 2, 3, 3, 3, 4, 4) times, K2, P4, K2, [P1, K1] 1 (1, 2, 1, 2, 2, 1, 2) times.

2nd row - [P1, K1] 1 (1, 2, 1, 2, 2, 1, 2) times, P2, C4B, P10 (10, 10, 14, 14, 14, 18, 18), work 2nd row of pattern panel, P10 (10, 10, 14, 14, 14, 18, 18), C4F, P2, [K1, P1] 1 (1, 2, 1, 2, 2, 1, 2) times.

3rd row - [P1, K1] 1 (1, 2, 1, 2, 2, 1, 2) times, K2, P4, K2, [P3tog, M3] 2 (2, 2, 3, 3, 3, 4, 4) times, work 3rd row of pattern panel, [P3tog, M3] 2 (2, 2, 3, 3, 3, 4, 4) times, K2, P4, K2, [K1, P1] 1 (1, 2, 1, 2, 2, 1, 2) times.

4th row - [K1, P1] 1 (1, 2, 1, 2, 2, 1, 2) times, P2, K4, P10 (10, 10, 14, 14, 14, 18, 18), work 4th row of pattern panel, P10 (10, 10, 14, 14, 14, 18, 18), K4, P2, [P1, K1] 1 (1, 2, 1, 2, 2, 1, 2) times.

Keeping the 24 rows of pattern panel correct on sts between markers throughout rep the last 4 rows once more. Bringing extra sts into double moss st, inc 1 st at each end of next and every following 11th (10th, 10th, 10th, 12th, 9th, 8th, 8th) row until there are 80 (82, 86, 90, 92, 96, 102, 106) sts. Work straight until sleeve measures 43 (43, 44, 44, 45, 45, 46, 46)cm, 17 (17, 17.25, 17.25, 17.75, 17.75, 18, 18) ins, or required length, ending with a wrong side row.

Shape Raglan Top

Keeping pattern correct cast off 4 (4, 4, 5, 5, 5, 6, 6) sts at beg of next 2 rows.

3rd row - K1, sl 1, K1, pssso, work to last 3 sts, K2tog, K1.

4th row - P2, work to last 2 sts, P2.

Rept the last 2 rows until 26 (22, 28, 24, 20, 28, 26, 26) sts remain ending with a wrong side row.

Next row - K1, sl 1, K2tog, pssso, work to last 4 sts, K3tog, K1

Next row - As 4th row.

Rept the last 2 rows until 10 (10, 12, 12, 12, 14, 14) sts remain ending with a dec row.

Next row (decrease) - P1, [work 2tog, work 1 (1, 2, 2, 2, 2, 3, 3) sts] twice, work 2tog, P1. Slip remaining 7 (7, 9, 9, 9, 9, 11, 11) sts onto a st holder, for Round Neck Cardigan, cast sts off for V-Neck Cardigan.

Pocket Linings (Make 2)

Using 5mm needles cast on 22 (22, 24, 24, 24, 26, 26, 26) sts and work 26 (26, 28, 28, 28, 30, 30, 30) rows in st st, starting knit.

Next row (increase) - K1 (1, 2, 2, 2, 3, 3, 3), * inc in next st, K2; rept from * to last 3 (3, 4, 4, 4, 5, 5, 5) sts, inc in next st, knit to end. 29 (29, 31, 31, 31, 33, 33, 33) sts. Slip sts onto a st holder.

Round Neck Left Front

Note: Figures or instructions in bold italics are for use when working Right Front.

Using 4mm needles cast on 43 (45, 47, 49, 51, 53, 55, 57) sts and work 4 rows in K1, P1 rib as given for Back.

Man's Front only

Next row (buttonhole) - Rib to last 6 sts, cast off next 2 sts, rib to end.

Next row - Rib to end, casting on 2 sts over buttonhole.

Man's and Lady's Front

Continue in rib until 18 rows have been worked in all, ending with a wrong side row.

Next row (increase) - Rib 4 (5, 2, 6, 2, 3, 2, 3), *inc in each of next 2 sts, rib 1 (1, 2, 1, 2, 2, 2, 2), rept from * to last 15 (16, 13, 16, 13, 14, 13, 14) sts, inc in each of next 2 sts, rib 4 (5, 2, 5, 2, 3, 2, 3), slip remaining 9 sts onto a safety pin. 52 (54, 56, 60, 62, 64, 68, 70) sts. Change to 5mm needles

Commence pattern

1st row - K2, P4, K2, [M3, P3tog] 2

(2, 2, 3, 3, 3, 4, 4) times, slip marker, work 1st row of pattern panel across next 30 sts, slip marker, [P1, K1] 3 (4, 5, 5, 6, 7, 7, 8) times.

2nd row - [P1, K1] 3 (4, 5, 5, 6, 7, 7, 8) times, work 2nd row of pattern panel, P10 (10, 10, 14, 14, 14, 18, 18), C4B, P2.

3rd row - K2, P4, K2, [P3tog, M3] 2 (2, 2, 3, 3, 3, 4, 4) times, work 3rd row of pattern panel, [K1, P1] 3 (4, 5, 5, 6, 7, 7, 8) times.

4th row - [K1, P1] 3 (4, 5, 5, 6, 7, 7, 8) times, work 4th row of pattern panel, P10 (10, 10, 14, 14, 14, 18, 18), K4, P2.

*Keeping the 24 rows of pattern panel correct on sts between markers work 24 (24, 26, 26, 26, 28, 28, 28) more rows.

Place Pocket

Next row - Work 17 (17, 17, 21, 21, 21, 25, 25) **6 (8, 8, 8, 10, 10, 10, 12) sts** in pattern, slip next 29 (29, 31, 31, 31, 33, 33, 33) sts onto a st holder for pocket edging, work in pattern across sts of one pocket lining, work to end. 52 (54, 56, 60, 62, 64, 68, 70) sts.

Continue in pattern until front measures same as back to armholes ending with a wrong side row (work 1 row more here for Right Front).

Shape Raglan Armhole

Keeping pattern correct cast off 4 (4, 4, 5, 5, 5, 6, 6) sts at beg of next row *Work 1 row straight.

3rd row - K1, sl 1, K1, pssso, work to end.

4th row - Work to last 2 sts, P2. Rept the last 2 rows until 37 (35, 41, 42, 40, 46, 47, 45) sts remain ending with the wrong side row.

Next row - K1, sl 1, K2tog, pssso, work to end.

Next row - As 4th row.

Next row - As 3rd row.

Next row - As 4th row.

Rept the last 4 rows until 25 (26, 26, 27, 31, 31, 32, 33) sts remain ending with the dec row.

Shape Neck

Next row - Work 5 (6, 6, 7, 6, 6, 7, 8) sts, slip these sts onto a safety pin,

work to end.

** Continue to dec 2 sts and 1 st alternately at raglan edge as before, at the same time dec 1 st at neck edge on next 5 rows, then following 2 (2, 2, 2, 4, 4, 4, 4) alt rows. 5 sts. Keeping neck edge straight dec 1 st at raglan edge on following 2 alt rows. 3 sts.

Dec 1 st at neck edge only on following alt row. Cast off.

Right Front

Using 4mm needles cast on 43 (45, 47, 49, 51, 53, 55, 57) sts and work 4 rows in K1, P1 rib as given for Back.

Lady's Front only

Next row (buttonhole) - Rib 4, cast off next 2 sts, rib to end.

Next row - Rib to end casting on 2 sts over buttonhole.

Man's and Lady's Front

Continue in rib until 18 rows have been worked in all, ending with a wrong side row.

Next row (increase) - Rib 9, slip these sts onto a safety pin, rib 4 (5, 2, 5, 2, 3, 2, 3), *inc in each of next 2 sts, rib 1 (1, 2, 1, 2, 2, 2, 2), rept from * to last 6 (7, 4, 8, 4, 5, 4, 5) sts, inc in each of next 2 sts, rib to end. 52 (54, 56, 60, 62, 64, 68, 70) sts.

Change to 5mm needles

Commence pattern

1st row - [K1, P1] 3 (4, 5, 5, 6, 7, 7, 8) times, slip marker, work 1st row of pattern panel across next 30 sts, slip marker, [M3, P3tog] 2 (2, 2, 3, 3, 3, 4, 4) times, K2, P4, K2.

2nd row - P2, C4F, P10 (10, 10, 14, 14, 14, 18, 18), work 2nd row of pattern panel, [K1, P1] 3 (4, 5, 5, 6, 7, 7, 8) times.

3rd row - [P1, K1] 3 (4, 5, 5, 6, 7, 7, 8) times, work 3rd row of pattern panel, [P3tog, M3] 2 (2, 2, 3, 3, 3, 4, 4) times, K2, P4, K2.

4th row - P2, K4, P10 (10, 10, 14, 14, 14, 18, 18), work 4th row of pattern panel, [P1, K1] 3 (4, 5, 5, 6, 7, 7, 8) times ***

Work as given for Left Front from * to * following figures or

instructions in bold italics where applicable.

2nd row - Work to last 3 sts, K2tog, K1.

3rd row - P2, work to end.

Rept the last 2 rows until 37 (35, 41, 42, 40, 46, 47, 45) sts remain ending with the wrong side row.

Next row - Work to last 4 sts, K3tog, K1.

Next row - As 3rd row.

Next row - As 2nd row.

Next row - As 3rd row.

Rept the last 4 rows until 25 (26, 26, 27, 31, 31, 32, 33) sts remain ending with the dec row.

Shape Neck

Next row - Work to last 5 (6, 6, 7, 6, 6, 7, 8) sts, turn and slip these sts onto a safety pin. Complete as given for Left Front from ** to end.

Finishing and Edgings

Pocket Edgings

Using 4mm needles and with right side facing, knit across sts at pocket opening, decreasing 2 sts evenly. 27 (27, 29, 29, 29, 31, 31, 31) sts.

Work 7 rows in K1, P1 rib as given for Back starting with the 2nd row. Cast off in rib.

Button Band

Using 4mm needles cast on 1 st and with right side of left front or wrong side of right front facing rib across sts on safety pin for front band. 10 sts. Continue in rib until band, when slightly stretched, fits up front to start of neck shaping ending with a wrong side row for left front band or a right side row for right front band. Break yarn and slip sts onto a safety pin. Sew band in place stretching evenly. Mark positions for 6 (6, 6, 6, 7, 7, 7, 7) buttons, the first to match existing buttonhole in right or left front welt and allowing for a 7th (7th, 7th, 7th, 8th, 8th, 8th, 8th) to be placed 1 cm (0.5inch) above sts on safety pin. Space remainder evenly between.

Buttonhole Band

Work as given for Button Band, at the same time making buttonholes to match markers on right side rows as before. Sew band in place. Join raglan seams.

Neckband

Slip sts of right front band onto a smaller needle. With right side of work facing rejoin yarn and knit across sts at right front neck decreasing 1 st at centre, pick up and K15 (15, 15, 15, 19, 19, 19, 19) sts up right front slope, knit across sts on holders at right sleeve top, back neck and left sleeve top, pick up and K15 (15, 15, 15, 19, 19, 19, 19) sts down left front slope, knit across sts on safety pin at left front neck decreasing 1 st at centre and rib across sts of left front band. 97 (101, 105, 109, 117, 117, 123, 127) sts. Work 8 rows in K1, P1 rib as given for Back starting with the 2nd row and making button-hole as before on 4th and 5th of these rows. Cast off in rib.

Join side and sleeve seams. Sew pocket linings and edgings in place. Sew on buttons.

V-Neck Left Front

Work as given for Round Neck Left Front to start of armhole shaping.

Shape Raglan Armhole and Front Neck

Keeping pattern correct cast off 4 (4, 4, 5, 5, 6, 6) sts at beg of next row. Work 1 row straight.

3rd row - K1, sl 1, K1, pssso, work to last 8 sts, P2tog (neck dec), work to end.

4th row - K2, P4, K1, work to last 2 sts, P2.

5th row - K1, sl 1, K1, pssso, work to end.

6th row - As 4th row.

Continue to dec 1 st at raglan edge on next and every alt row as before, at the same time dec 1 st at neck edge as before on next and every following 4th row until 31 (27, 35, 35, 31, 39, 39, 35) sts remain. Work 1 row straight.

Next row - K1, sl 1, K2tog, pssso,

work to end.

Next row - As 4th row.

Next row - As 3rd row.

Next row - As 4th row.

***Rept the last 4 rows until 7 sts remain. Keeping neck edge straight continue to dec 2 sts and 1 st alternately at raglan edge until 4 sts remain. Dec 1 st at raglan edge on next row and 1 st at neck edge on following alt row. 2 sts remain. Cast off.

Right Front

Work as given for Round Neck Right Front to ***. Work as given for Round Neck Left Front from * to * following figure or instructions in bold italics where applicable.

Shape Front Neck

1st row - Work 6 sts, P2tog (neck dec), work to last 3 sts, K2tog, K1.

2nd row - P2, work to last 7 sts, K1, P4, K2.

3rd row - Work to last 3 sts, K2tog, K1.

4th row - As 2nd row.

Continue to dec 1 st at raglan edge on next and every alt row as before, at the same time dec 1 st at neck edge as before on next and every following 4th row until 31 (27, 35, 35, 31, 39, 39, 35) sts remain. Work 1 row straight

Next row - Work to last 4 sts, K3tog, K1.

Next row - As 2nd row.

Next row - As 1st row.

Next row - As 2nd row.

Complete as given for Left Front from **** to end.

Finishing and Edgings

Pocket Edgings

Work as given for Round Neck Cardigan. Join raglan seams.

Button Band

Using 4mm needles cast on 1 st and with right side of left front or wrong side of right front facing, rib across sts on safety pin to front band. 10 sts. Continue in rib until band, when slightly stretched, fits up front edge,

across sleeve top and round to centre back neck. Cast off in rib. Sew band in place stretching evenly. Mark positions for 6 buttons, the first to match existing buttonhole in right or left front welt and the top one to be 1 cm (0.5inch) below first neck dec. Space remainder evenly between.

Buttonhole Band

Work as given for Button Band, at the same time making buttonholes to match markers on right side rows as before.

Sew band in place and join at centre back. Join side and sleeve seams. Sew pocket linings and edgings in place. Sew on buttons.



Email: sales@yarnsmiths.co.uk

© YARNSMITHS All our designs and publications are protected by copyright. Unauthorised copying in any form, is illegal and represents a breach of this copyright. In the event of any unauthorised and illegal copying we reserve the right to take appropriate legal action to protect our interests.