

YARNSMITHS



Knitting
Intermediate
41 - 66cm
16 - 26ins
Approx. 1 - 6 Years

Create
BABY ARAN

Aubrey
Design N°
7078

Aubrey Bolero and Cardigans

Materials and Measurements

To fit Chest Sizes						
41	46	51	56	61	66	cm
16	18	20	22	24	26	in
Actual Measurements						
48	52	56	61	67	71	cm
19	20.5	22.25	24	26.5	28	in
Length from shoulder						
21.5	24	28	30.5	35.5	40.5	cm
8.5	9.5	11	12	14	16	in
Sleeve Seam						
12.5	14	16.5	19	26.5	32	cm
5	5.5	6.5	7.5	10.5	12.5	ins
Yarnsmiths Create Baby Aran						
Round Neck Cardigan						
1	1	2	2	2	3	Balls
V-Neck Cardigan						
1	1	2	2	2	3	Balls
Bolero						
1	1	2	2	2	3	Balls
Photographed using Shades; AR05 Baby White - Round Neck AR60 Baby Mint - V Neck AR30 Soft Pink - Bolero 4.5mm (US7) Knitting Needles Stitch Holder Stitch Markers 5 (5,6,6,6,7) Buttons for Round Neck, 1 Button for Bolero and V Neck						

IMPORTANT

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

Use only the Yarnsmiths yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated. The quantities of yarn stated are based on average requirements and are therefore approximate.

Instructions given for 41 cm (16 ins) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

TENSION

It is important to check your tension before commencing the garment. 19 sts and 25 rows to 10 cm (4 ins) over patt on 4.5mm needles. If there are too many stitches to 10 cm, then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm, then your tension is loose and you will

need to change your needle to a smaller size.

ABBREVIATIONS

T2R – twist 2 right, pass needle in front of first stitch, knit second stitch, knit first stitch and slip both stitches off needle; **T2L** – twist 2 left, pass needle behind first stitch, knit second stitch, knit first stitch and slip both stitches off needle; **K** – Knit; **P** – Purl; **st(s)** – stitch(es); **rept** – repeat; **inc** – increase; **dec** – decrease; **beg** – beginning; **yfwd** – yarn forward; **patt** – pattern; **alt** – alternate; **tog** – together; **cm** – centimetres; **ins** – inches.

ROUND NECK CARDIGAN BACK

Using 4.5mm needles, cast on 45 (49, 53, 57, 63, 67) sts.

1st row - K1, * P1, K1, rept from * to end.

2nd row - * P1, K1, rept from * to last st, P1.

Rept the last 2 rows for 4 (4, 4, 5, 5, 5) cm, 1.5 (1.5, 1.5, 2, 2, 2) ins, finishing on a 1st row.

Next row - Purl.

1st row - * P1, K1, rept from * to last st, P1.

2nd row - Purl.

3rd row - * K1, P1, rept from * to last st, K1.

4th row - Purl.

These 4 rows form the patt.

Continue in patt until Back measures 21.5 (24, 28, 30.5, 35.5, 40.5) cm, 8.5 (9.5, 11, 12, 14, 16) ins from cast on edge finishing on a wrong side row. ***

Shape shoulders

Cast off 15 (16, 17, 18, 20, 22) sts, patt 15 (17, 19, 21, 23, 23) sts, including st on needle, cast off remaining 15 (16, 17, 18, 20, 22) sts. Slip remaining 15 (17, 19, 21, 23, 23) sts onto a st holder.

LEFT FRONT

Using 4.5mm needles, cast on 23 (25, 27, 29, 31, 33) sts. Work 4 (4, 4, 5, 5, 5) cm, 1.5 (1.5, 1.5, 2, 2, 2) ins in rib as given for Back, finishing on a 1st row.

Next row - P5 (7, 9, 11, 13, 15), K2, [P4, K2] twice, P4.

1st row - [P1, K1] twice, [P2, K4] twice, P2, * K1, P1, rept from * to last st, K1.

2nd row - P5 (7, 9, 11, 13, 15), K2, [P4, K2] twice, P4.

3rd row - [K1, P1] twice, [P2, T2R, T2L] twice, P2, * P1, K1, rept from * to last st, P1.

4th row - P5 (7, 9, 11, 13, 15), K2, [P4, K2] twice, P4.

These 4 rows form the cable panel and patt. *****

Keeping continuity of cable panel and patt as set continue until Front measures 18 (20.5, 24, 26.5, 30.5, 35.5) cm, 7 (8, 9.5, 10.5, 12, 14) ins from cast on edge finishing on a right side row.

** Shape neck

Next row - Cast off 3 (4, 5, 5, 5) sts, patt to end. 20 (21, 22, 24, 26, 28) sts. Dec 1 st at neck edge on every row until 17 (18, 19, 20, 22, 24) sts remain.

Continue without further shaping until Front measures same as Back to shoulder finishing on a wrong side row.

Shape shoulder

Cast off. **

RIGHT FRONT

Using 4.5mm needles, cast on 23 (25, 27, 29, 31, 33) sts.

Work 4 (4, 4, 5, 5, 5) cm, 1.5 (1.5, 1.5, 2, 2, 2) ins in rib as given for Back finishing on a 1st row.

Next row - P4, [K2, P4] twice, K2, P5 (7, 9, 11, 13, 15).

1st row - [K1, P1] 2 (3, 4, 5, 6, 7) times, K1, [P2, K4] twice, P2, [K1, P1] twice.

2nd row - P4, [K2, P4] twice, K2, P5 (7, 9, 11, 13, 15).

3rd row - [P1, K1] 2 (3, 4, 5, 6, 7) times, P1, [P2, T2R, T2L] twice, P2, [P1, K1] twice.

4th row - P4, [K2, P4] twice, K2, P5 (7, 9, 11, 13, 15).

These 4 rows from the cable panel and patt. *****

Keeping continuity of cable panel and patt as set, continue until Front measures 18 (20.5, 24, 26.5,

30.5, 35.5) cm, 7 (8, 9.5, 10.5, 12, 14) ins from cast on edge finishing on a wrong side row.

Complete as given from ** to ** on Left Front.

SLEEVES (both alike)

Using 4.5mm needles, cast on 25 (27, 29, 29, 31, 33) sts.

Work 2.5 (2.5, 4, 4, 5, 5) cm, 1 (1, 1.5, 1.5, 2, 2) ins in rib as given for Back finishing on a 1st row.

Next row (inc row) - P5 (6, 5, 4, 5, 4), inc in next st purlwise, * P4 (4, 5, 3, 3, 4), inc in next st purlwise, rept from * to last 4 (5, 5, 4, 5, 3) sts, P to end. 29 (31, 33, 35, 37, 39) sts.

Continue in patt as given for Back, inc 1 st at each end of the needle on the 5th (3rd, 7th, 9th, 3rd, 7th) th row until 33 (37, 43, 47, 53, 57) sts are on the needle working all inc sts in patt.

Continue without further inc until Sleeve measures 12.5 (14, 16.5, 19, 26.5, 32) cm, 5 (5.5, 6.5, 7.5, 10.5, 12.5) ins from cast on edge finishing on a wrong side row. Cast off loosely in patt.

V NECK CARDIGAN

BACK

Work as instructions given for Back of Round Neck Cardigan until *** is reached.

Shape shoulders

Cast off, marking centre 15 (17, 19, 21, 23, 23) sts with a stitch marker for back neck.

LEFT FRONT

Work exactly as instructions given for Left Front of Round Neck Cardigan until ***** is reached. Keeping continuity of cable panel and patt as set, continue until Front measures 12.5 (14, 16.5, 18, 21.5, 25.5) cm, 5 (5.5, 6.5, 7, 8.5, 10) ins from cast on edge finishing on a wrong side row.

Shape neck

Dec 1 st at end of the next and every following 4th row until 19 (20, 22, 24, 25, 25) sts remain

finishing on a wrong side row. Dec 1 st at end of the next and every following alt row until 17 (18, 19, 20, 22, 24) sts remain. Continue without further shaping until Front measures same as Back to shoulder finishing on a wrong side row.

Shape shoulder

Cast off.

RIGHT FRONT

Work exactly as instructions given for Right Front of Round Neck Cardigan until ***** is reached. Keeping continuity of cable panel and patt as set, continue until Front measures 12.5 (14, 16.5, 18, 21.5, 25.5) cm, 5 (5.5, 6.5, 7, 8.5, 10) ins from cast on edge finishing on a wrong side row.

Shape neck

Dec 1 st at beg of the next and every following 4th row until 19 (20, 22, 24, 25, 25) sts remain finishing on a wrong side row. Dec 1 st at beg of the next and every following alt row until 17 (18, 19, 20, 22, 24) sts remain. Continue without further shaping until Front measures same as Back to shoulder finishing on a wrong side row.

Shape shoulder

Cast off.

SLEEVES (both alike)

Work as instructions given for Sleeves of Round Neck Cardigan.

BOLERO

BACK

Using 4.5mm needles, cast on 45 (49, 53, 57, 63, 67) sts. Continue in patt as given for Back of Round Neck Cardigan until work measures 19 (21.5, 25.5, 28, 33, 38) cm, 7.5 (8.5, 10, 11, 13, 15) ins from cast on edge finishing on a wrong side row.

Shape shoulders

Cast off, marking centre 15 (17, 19, 21, 23, 23) sts with a coloured thread for back neck.

LEFT FRONT

Using 4.5mm needles, cast on 18 sts.

1st row - [P1, K1] twice, [P2, K4] twice, P2.

2nd row - Inc in 1st st, K1, [P4, K2] twice, P4. 19 sts.

3rd row - [K1, P1] twice, [P2, T2R, T2L] twice, P3.

4th row - Inc in first st, K2, [P4, K2] twice, P4. 20 sts.

These 4 rows set the position of cable panel and patt.

Keeping continuity of cable panel and patt as set, inc 1 st at beg of every alt row until 23 (25, 27, 29, 31, 33) sts are on the needle, working all inc sts into patt.

Continue without further shaping until Front measures 10 (11.5, 14, 15, 19, 23) cm, 4 (4.5, 5.5, 6, 7.5, 9) ins from cast on edge finishing on a wrong side row.

Complete as instructions given for Left Front of V Neck Cardigan from **shape neck**.

RIGHT FRONT

Using 4.5mm needles, cast on 18 sts.

1st row - P2, [K4, P2] twice, [K1, P1] twice.

2nd row - P4, [K2, P4] twice, K1, inc in last st. 19 sts.

3rd row - P3, [T2R, T2L, P2] twice, [P1, K1] twice.

4th row - P4, [K2, P4] twice, K2, inc in last st. 20 sts.

These 4 rows set the position of cable panel and patt.

Keeping continuity of cable panel and patt as set, inc 1 st at end of every alt row until 23 (25, 27, 29, 31, 33) sts are on the needle, working all inc sts in patt.

Continue without further shaping until Front measures 10 (11.5, 14, 15, 19, 23) cm, 4 (4.5, 5.5, 6, 7.5, 9) ins from cast on edge finishing on a wrong side row.

Complete as instructions given for Right Front of V Neck Cardigan from **shape neck**.

SLEEVES (both alike)

Work as instructions given for Sleeves of Round Neck Cardigan.

MAKING UP

Join shoulder seams by top sewing. Mark depth of armholes 9 (10, 11, 12, 13, 14) cm, 3.5 (4, 4.5, 5, 5.5, 6) ins from shoulder seams.

Join side seams to markers and sleeve seams by top sewing. Pin sleeves into position, sew in by top sewing.

Round Neck Cardigan Neckband

With right side facing and using 4.5mm needles, pick up and K10 (11, 12, 14, 14, 14) sts evenly up right front neck, K across 15 (17, 19, 21, 23, 23) sts left on a st holder at back neck and pick up and K10 (11, 12, 14, 14, 14) sts evenly down left front neck. 35 (39, 43, 49, 51, 51) sts.

Commencing on a 2nd row, work 2.5cm (1 inch) in rib as given for Back finishing on a 2nd row. Cast off in rib.

Button band

Using 4.5mm needles, cast on 7 sts. Work in rib as given for Back until band is long enough when slightly stretched to fit from cast on edge of front to top of neckband, finishing on a 2nd row.

Cast off in rib. Mark positions for buttons on button band, the first one 4 rows from lower edge, the last one 1 cm (0.5 inch) from cast off edge and 3 (3, 4, 4, 4, 5) more equally spaced between.

Buttonhole band

Work as instructions given for button band working buttonholes to correspond with positions marked for buttons on right side rows as follows:-

Next row (Buttonhole row) - Rib 3, yfwd, K2tog, rib to end.

Pin button band to Left Front for Girl's and Right Front for Boy's.

Pin buttonhole band to Right Front for Girl's and Left Front for Boy's.

Sew bands on by top sewing. Sew on buttons.

V Neck Cardigan

Front bands

Using 4.5mm needles, cast on 7 sts. Work in rib as given for Back until band is long enough when slightly stretched to fit up Left Front for Girl's (Right Front for Boy's), across back neck and down Right Front for Girl's (Left Front for Boy's) to 1 cm (0.5 inch) below first front dec, finishing on a 2nd row.

Next row (buttonhole row) - Rib 3, yfwd, K2tog, rib to end.

Mark position for button on Left Front band for Girl's (Right Front band for Boy's).

Continue in rib until band fits to lower edge.

Cast off in rib.

Pin front band into position, sew on by top sewing.

Sew on button.

Bolero

Front bands

Using 4.5mm needles, cast on 7 sts. Work in rib as given for Back until band is long enough when slightly stretched to fit from left side seam, around left front shaping to back neck, across back neck and down right front to 1 cm (0.5 inch) below first front dec, finishing on a 2nd row.

Next row - (buttonhole row) Rib 3, yfwd, K2tog, rib to end.

Continue in rib until band is long enough when slightly stretched to fit around right front shaping and across back to left side seam.

Cast off in rib.

Pin front band into position, sew on by top sewing.

Sew on button.

FINISHING

Block or press if desired.

NOTES:



Email: sales@yarnsmiths.co.uk

© YARNSMITHS All our designs and publications are protected by copyright. Unauthorised copying in any form, is illegal and represents a breach of this copyright. In the event of any unauthorised and illegal copying we reserve the right to take appropriate legal action to protect our interests.