

YARNSMITHS



Crochet and
Knitting
Intermediate

36 - 71cm

14 - 28ins

Approx. 1 Mth - 5 yrs

Create
BABY ARAN

Addison

Design N^o.

7079

Addison Hoodies

Materials and Measurements

KNITTED HOODY								
To fit Chest Sizes								
36	41	46	51	56	61	66	71	cm
14	16	18	20	22	24	26	28	in
Actual Measurements								
41	46	52	56	61	67	71	78	cm
16	18	20.5	22	24	26.5	28	30.5	in
Length from back of neck								
23	25.5	28	30.5	34.5	37	39.5	42	cm
9	10	11	12	13.5	14.5	15.5	16.5	in
Sleeve Seam								
15	16.5	17.5	20.5	23	26.5	30.5	35.5	cm
6	6.5	7	8	9	10.5	12	14	ins
CROCHET AND KNITTED HOODY								
To Fit Chest Sizes								
36	41	46	51	56	61	66	-	cm
14	16	18	20	22	24	26	-	in
Actual Measurements								
39.5	45	51	56.5	62	68	73.5	-	cm
15.5	17.75	20	22.25	24.5	26.75	29	-	in
Length from back of neck								
20.5	23	25.5	29	34.5	39.5	43	-	cm
8	9	10	11.5	13.5	15.5	17	-	in
Sleeve Seam								
14	15	16.5	20.5	24	28	31.5	-	cm
5.5	6	6.5	8	9.5	11	12.5	-	in
Yarnsmiths Create Baby Aran								
Knitted Hoody								
2	2	2	2	2	2	3	3	Balls
Crochet and Knitted Hoody								
2	2	2	3	3	4	5	-	Balls
Photographed using Shades; AR10 Baby Cream - Knitted Hoody AR20 Baby Silver - Crochet and Knitted Hoody Knitted Hoody 3.75mm (US5) and 4.5mm (US7) Knitting Needles Cable Needle 5 (5, 5, 5, 6, 6, 6, 6) Buttons Crochet and Knitted Hoody 3.75mm (US5) Knitting Needles 6mm (US10) Crochet Hook 6 (6, 7, 7, 7, 8, 8) Buttons								

IMPORTANT

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

Use only the Yarnsmiths yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated. The quantities of yarn stated are based on average requirements and are therefore approximate.

Instructions given for 36 cm (14 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

TENSION

It is important to check your tension before commencing the garment.

Knitted Hoody

19 sts and 26 rows to 10 cm (4 ins) over st st on 4.5mm needles.

Crochet and Knitted Hoody

14 sts and 17 rows to 10 cm (4 ins) over popcorn pattern on 6mm hook.

If there are too many stitches to 10 cm, then your tension is tight and you will need to change your needle/hook to a larger size. If there are too few stitches to 10 cm, then your tension is loose and you will need to change your needle/hook to a smaller size.

ABBREVIATIONS

C4B (cable 4 back) – slip next 2 sts onto a cable needle and hold at back of work, K2, then K2 from cable needle; **K** – Knit; **P** – Purl; **st(s)** – stitch(es); **st st** – stocking stitch (1 row knit, 1 row purl); **rept** – repeat; **inc** – increase; **dec** – decrease; **beg** – beginning; **0** – no stitches or rows in that particular size; **patt** – pattern; **tog** – together; **yo** – yarn over; **sl 1** – slip one; **pssso** – pass slipped

stitch over; **alt** – alternate; **yrn** – yarn round needle; **yo** – yarn over; **cm** – centimetres; **ins** – inches; **ch** – chain; **tr** – treble; **dc** – double crochet; **sl st** – slip stitch; **dc 2tog** – insert hook 1st st, yo and pull through, insert hook in next st, yo and pull through (3 loops on hook), yo and pull through all 3 loops (1 st decreased); **popcorn** – work 6 tr into next st, remove hook from working loop and insert it from the front behind the 1st of the 6 trs. Pick up the working loop again and pull through to close.

NOTE

In all shaping, where a popcorn would fall on an edge st or a dc 2tog, omit it.

KNITTED HOODY

BACK

Using 3.75mm needles, cast on 39 (43, 49, 53, 57, 63, 67, 73) sts

1st row (right side) - K1, * P1, K1, rept from * to end.

2nd row - P1, * K1, P1, rept from * to end.

Rept the last 2 rows 4 (4, 4, 4, 6, 6, 6) times more.

Change to 4.5mm needles and commence patt.

1st row - K3 (5, 8, 10, 7, 10, 12, 15), P1, K4, P1, K2I (21, 21, 21, 31, 31, 31), P1, K4, P1, K to end.

2nd row - P3 (5, 8, 10, 7, 10, 12, 15), K1, P4, K1, P2I (21, 21, 21, 31, 31, 31), K1, P4, K1, P to end.

3rd row - K3 (5, 8, 10, 7, 10, 12, 15), P1, C4B, P1, K2I (21, 21, 21, 31, 31, 31, 31), P1, C4B, P1, K to end.

4th row - As 2nd row.

These 4 rows form the patt.

Continue in patt until work measures 23 (25.5, 28, 30.5, 34.5, 37, 39.5, 42) cm, 9 (10, 11, 12, 13.5, 14.5, 15.5, 161.5) ins from commencement of back finishing on a wrong side row.

Cast off.

LEFT FRONT

** Using 3.75mm needles, cast on 17 (19, 21, 23, 25, 29, 31, 33) sts.

Work 10 (10, 10, 10, 14, 14, 14)

rows in rib as given for Back inc 1 st at end (beg for Right Front) of last row for (46, 51, 56, 71) cm, (18, 20, 22, 28) inch sizes only. 17 (19, 22, 24, 26, 29, 31, 34) sts. **

Change to 4.5mm needles and commence patt.

1st row - K3 (5, 8, 10, 7, 10, 12, 15), P1, K4, P1, K to end.

2nd row - P8 (8, 8, 8, 13, 13, 13, 13), K1, P4, K1, P to end.

3rd row - K3 (5, 8, 10, 7, 10, 12, 15), P1, C4B, P1, K to end.

4th row - As 2nd row.

These 4 rows form the patt.

*** Continue in patt until work measures 18 (20.5, 21.5, 24, 28, 29, 31.5, 34) cm, 7 (8, 8.5, 9.5, 11, 11.5, 12.5, 13.5) ins from commencement finishing at front edge.

Shape neck

Next row - Cast off 2 (2, 2, 2, 2, 2, 3, 3) sts, patt to end.

Dec 1 st at neck edge on every row until 11 (13, 15, 17, 18, 21, 22, 25) sts remain.

Continue without further dec until front measures same as Back to shoulders finishing on a wrong side row.

Cast off. ***

RIGHT FRONT

Work from ** to ** as given for Left Front.

Change to 4.5mm needles and commence patt.

1st row - K8 (8, 8, 8, 13, 13, 13, 13), P1, K4, P1, K to end.

2nd row - P3 (5, 8, 10, 7, 10, 12, 15), K1, P4, K1, P to end.

3rd row - K8 (8, 8, 8, 13, 13, 13, 13), P1, C4B, P1, K to end.

4th row - As 2nd row.

These 4 rows form the patt.

Work from *** to *** as given for Left Front.

SLEEVES (both alike)

Using 3.75mm needles, cast on 25 (25, 27, 27, 29, 29, 31, 31) sts.

Work 9 (9, 9, 9, 13, 13, 13, 13) rows in rib as given for Back.

Next row (inc row) - Rib 5 (2, 4, 1, 4, 2, 3, 3), inc in next st, * rib 6 (4, 8, 3, 4, 2, 2, 2), inc in next st, rept

from * 1 (3, 1, 5, 3, 7, 7, 7) times more, rib to end. 28 (30, 30, 34, 34, 38, 40, 40) sts.

Change to 4.5mm needles and commence patt.

1st row - K11 (12, 12, 14, 14, 16, 17, 17), P1, K4, P1, K to end.

2nd row - P11 (12, 12, 14, 14, 16, 17, 17), K1, P4, K1, P to end.

3rd row - K11 (12, 12, 14, 14, 16, 17, 17), P1, C4B, P1, K to end.

4th row - As 2nd row.

These 4 rows form the patt.

Continue in patt inc 1 st at each end of the needle on the next and every following 8 (6, 8, 8, 6, 6, 6, 6)th row until 34 (38, 38, 44, 48, 54, 58, 62) sts are on the needle.

Continue without further inc until sleeve measures 15 (16.5, 17.5, 20.5, 23, 26.5, 30.5, 35.5) cm, 6 (6.5, 7, 8, 9, 10.5, 12, 14) ins from commencement finishing on a wrong side row.

Cast off.

HOOD

Using 3.75mm needles, cast on 53 (61, 65, 71, 77, 81, 87, 91) sts.

Work 5 rows in rib as given for Back.

Next row (inc row) - Rib 3 (5, 4, 5, 5, 5, 5, 5), inc in next st, * rib 8 (9, 10, 11, 12, 13, 14, 15), inc in next st, rept from * to last 4 (5, 5, 5, 6, 5, 6, 5) sts, rib to end. 59 (67, 71, 77, 83, 87, 93, 97) sts.

Change to 4.5mm needles.

Continue in st st until work measures 12.5 (15, 16.5, 17.5, 19, 20.5, 21.5, 21.5) cm, 5 (6, 6.5, 7, 7.5, 8, 8.5, 8.5) ins from commencement finishing on a P row.

Shape back

Cast off 8 (10, 10, 12, 12, 13, 13, 14) sts at beg of next 2 rows.

Cast off 9 (11, 11, 12, 13, 14, 14, 15) sts at beg of next 2 rows.

Cast off remaining 25 (25, 29, 29, 33, 33, 39, 39) sts.

Button band

(Left for girl, right for boy)

Using 3.75mm needles, cast on 7 sts.

Work in rib as given for Back until

band is long enough when slightly stretched to fit up front to neck edge, finishing on a 2nd row.

Cast off.

Pin band into position stretching evenly, sew on by top sewing.

Mark positions for buttons, the first one 1 cm (0.5 inch) from lower edge, the last one 1 cm (0.5 inch) from top of band and 3 (3, 3, 3, 4, 4, 4, 4) more equally spaced between.

Buttonhole band

Work as instructions given for button band working buttonholes to correspond with positions marked for buttons on button band as follows:-

Buttonhole row - Rib 3, yo, K2tog, rib to end.

MAKING UP

KNITTED HOODY

Join shoulder seams by top sewing. Pin buttonhole band into position, sew on by top sewing.

Fold hood in half, join cast off edges, by top sewing.

Pin hood into position placing front edges of hood at either side of front band seams, sew on by top sewing.

Mark depth of armholes 9 (10, 10, 11.5, 12.5, 14, 15, 16.5) cm, 3.5 (4, 4, 4.5, 5, 5.5, 6, 6.5) ins from shoulder seams.

Join side seams to markers and sleeve seams by top sewing.

Pin sleeves into position, sew in by top sewing.

Sew on buttons.

CROCHET AND KNITTED HOODY

BACK

Using 3.75mm needles cast on 33 (39, 43, 49, 53, 57, 63) sts.

1st row - K1, * P1, K1, rept from * to end.

2nd row - P1, * K1, P1, rept from * to end.

Rept the last 2 rows until rib measures 3 (3, 3, 4, 4, 4) cm, 1.25 (1.25, 1.25, 1.5, 1.5, 1.5, 1.5) ins, ending with 1st row.

Next row (dec row) - Rib 5 (3, 5, 3, 5, 7, 5), * P2tog, rib 3, rept from * to last 8 (6, 8, 6, 8, 10, 8) sts, P2tog, rib to end. 28 (32, 36, 40, 44, 48, 52) sts.

Change to 6mm hook.

Base row (right side) - Insert hook into first st, yo and draw loop through slipping st off needle, * insert hook into next st, yo and draw loop through slipping st off needle, yo and through loop on hook, rept from * to end, turn. 27 (31, 35, 39, 43, 47, 51) sts.

Commence patt

1st row - 1 ch, 1 dc in each st to end, turn.

2nd row - 1 ch, 1 dc in each of next 1 (3, 5, 7, 1, 3, 5) dc, 1 popcorn in next dc, * 1 dc in each of next 7 dc, 1 popcorn in next dc, rept from * to last 1 (3, 5, 7, 1, 3, 5) dc, 1 dc into each dc to end, turn.

3rd row - 1 ch, 1 dc in each st to end, turn.

4th row - 1 ch, 1 dc in each of next 5 (7, 1, 3, 5, 7, 1) dc, 1 popcorn in next dc, * 1 dc in each of next 7 dc, 1 popcorn in next dc, rept from * to last 5 (7, 1, 3, 5, 7, 1) dc, 1 dc into each dc to end, turn.

These 4 rows form the patt until the Back measures 12.5 (14, 15, 17.5, 21.5, 25.5, 28) cm, 5 (5.5, 6, 7, 8.5, 10, 11) ins from commencement, finishing on a wrong side row.

Mark each end of last row with a coloured thread to indicate start of armholes.

Shape armholes

Keeping patt correct.

Next row (dec row) - 1 ch, dc 2tog, over next 2 sts, patt to last 2 sts dc 2tog, turn. (1 st decreased either side)

Repeat the last row until 17 (21, 21, 25, 29, 33, 33) sts remain.

Work 1 row without shaping, then work decrease row again.

Rept last 2 rows until 11 (13, 13, 15, 17, 19, 19) sts remain.

Work 1 row without shaping.

Fasten off.

LEFT FRONT

Using 3.75mm needles, cast on 17 (19, 21, 23, 27, 29, 31) sts and work in K1, P1 rib as given for back for 3 (3, 3, 4, 4, 4, 4) cm, 1.25 (1.25, 1.25, 1.5, 1.5, 1.5, 1.5) ins, ending with a 1st row.

Next row (dec row) - Rib 2, * P2tog, rib 3 (4, 5, 6, 3, 4, 4), rept from * to last 5 (5, 5, 5, 5, 3, 5) sts, P2tog, rib to end. 14 (16, 18, 20, 22, 24, 26) sts.

Change to 6mm hook.

Base row (right side) - Work as given for base row on back. 13 (15, 17, 19, 21, 23, 25) sts.**

Commence patt

1st row - 1 ch, 1 dc in each st to end, turn.

2nd row - 1 ch, 1 dc in each of next 1 (3, 5, 7, 1, 3, 5) dc, 1 popcorn in next dc, [1 dc in each of next 7 dc, 1 popcorn in next dc] 1 (1, 1, 1, 2, 2, 2) times, 1 dc in each of last 3 dc, turn.

3rd row - 1 ch, 1 dc in each st to end, turn.

4th row - 1 ch, 1 dc in each of next 5 (7, 1, 3, 5, 7, 1) dc, [1 popcorn in next dc, 1 dc in each of next 7 dc] 1 (1, 2, 2, 2, 2, 3) times, turn.

Continue in patt until front measures same as back to start of armhole shaping ending with a wrong side row.

Mark each end of last row with a coloured thread to indicate start of armholes.

Shape armholes

Next row (dec row) - 1 ch, dc 2tog over next 2 sts, patt to end, turn.

Next row (dec row) - 1 ch, patt to last 2 sts, dc 2tog, turn.

Rept the last 2 rows until 8 (10, 10, 12, 14, 16, 16) sts remain.

Work 1 row without shaping then work 1st dec row again.

Rept the last 2 rows 0 (0, 0, 1, 2, 2, 2) times more. 7 (9, 9, 10, 11, 13, 13) sts remain, turn, thus ending with wrong side facing for next row.

Shape neck

1st row - sl st across first 2 (2, 2, 3,

3, 4, 4) sts, 1 ch, patt to end of row, turn. Continue on these sts only.

2nd row - 1 ch, dc 2tog, patt to last 2 sts, dc 2tog, turn.

Dec 1 st at neck edge on every row 1 (2, 2, 2, 3, 3) times more, **at the same time** dec 1 st at raglan edge on following 0 (1, 1, 1, 1, 1, 1) alt rows. 2 (2, 2, 2, 2, 3, 3) sts remain. Keeping neck edge straight, continue to dec at raglan edge until 1 st remains, turn.

Next row - 1 ch, 1 dc in dc. Fasten off.

RIGHT FRONT

Work as given for left front to **.

Commence patt

1st row - 1 ch, 1 dc in each st to end, turn.

2nd row - 1 ch, 1 dc in each of next 3 dc, 1 popcorn in next dc, [1 dc in each of next 7 dc, 1 popcorn in next dc] 1 (1, 1, 1, 2, 2, 2) times, 1 dc in each of last 1 (3, 5, 7, 1, 3, 5) dc.

3rd row - 1 ch, 1 dc in each st to end, turn.

4th row - 1 ch, [1 dc in each of next 7 dc, 1 popcorn in next dc] 1 (1, 2, 2, 2, 2, 3) times, 1 dc in each of last 5 (7, 1, 3, 5, 7, 1) dc, turn.

Continue in patt until front measures same as back to start of armhole shaping, ending with a wrong side row.

Mark each end of last row with a coloured thread to indicate start of armholes.

Shape armholes

Next row (dec row) - 1 ch, patt to last 2 sts, dc 2tog, turn.

Next row (dec row) - 1 ch, dc 2tog over next 2 sts, patt to end, turn.

Rep the last 2 rows until 8 (10, 10, 12, 14, 16, 16) sts remain.

Work 1 row without shaping, then work 1st dec row again.

Rept the last 2 rows 0 (0, 0, 1, 2, 2, 2) times more. 7 (9, 9, 10, 11, 13, 13) sts remain, turn, thus ending with wrong side facing for next row.

Shape neck

1st row - Patt to last 2 (2, 2, 3, 3, 4, 4) sts, turn and continue on these sts only.

2nd row - 1 ch, dc 2tog over next 2 sts, patt to last 2 sts, dc 2tog, turn.

Dec 1 st at neck edge on every row 1 (2, 2, 2, 3, 3, 3) times more, **at the same time** dec 1 st at raglan edge on following 0 (1, 1, 1, 1, 1, 1) alt rows. 2 (2, 2, 2, 2, 3, 3) sts remain.

Keeping neck edge straight, continue to dec at raglan edge only until 1 st remains, turn.

Next row - 1 ch, 1 dc in dc. Fasten off.

SLEEVES (both alike)

Using 3.75mm needles, cast on 21 (23, 25, 27, 29, 31, 33) sts and work in K1, P1 rib as given for Back, for 3 (3, 3, 4, 4, 4, 4) cm 1.25 (1.25, 1.25, 1.5, 1.5, 1.5, 1.5) ins, ending with a 1st row.

Next row (dec row) - Rib 1 (2, 1, 2, 1, 2, 3), * P2tog, rib 2 (2, 3, 3, 2, 2, 1), rept from * to last 4 (5, 4, 5, 4, 5, 6) sts, P2tog, rib to end. 16 (18, 20, 22, 22, 24, 24) sts.

Change to 6mm hook.

Base row (right side) - Work as given for base row on Back. 15 (17, 19, 21, 21, 23, 23) sts.

Commence patt

1st row - 1 ch, 1 dc in each st to end, turn.

2nd row - 1 ch, 2 dc in first dc, 1 dc in each of next 6 (7, 0, 1, 1, 2, 2) dc, [1 popcorn in next dc, 1 dc in each of next 7 dc] 0 (0, 2, 2, 2, 2, 2) times, 1 popcorn in next dc, 1 dc in each of next 6 (7, 0, 1, 1, 2, 2) dc, 2 dc in last dc, turn. (1 st increased at either side).

3rd row - 1 ch, 1 dc in each st to end, turn.

4th row - 1 ch, 1 dc in each of next 4 (5, 6, 7, 7, 8, 8) dc, 1 popcorn in next dc, 1 dc in each of next 7 dc, 1 popcorn in next dc, 1 dc in each of last 4 (5, 6, 7, 7, 8, 8) dc, turn.

Keeping patt correct as set, work a further 1 (1, 1, 1, 5, 5, 5) rows without shaping.

Working inc sts into patt inc 1 st at each end of next and every following

4 (4, 6, 8, 8, 8, 8)th row until there are 23 (25, 27, 29, 29, 33, 35) sts.

Continue without further inc until Sleeve measures 14 (15, 16.5, 20.5, 24, 28, 31.5) cm 5.5 (6, 6.5, 8, 9.5, 11, 12.5) ins from commencement, finishing on a wrong side row.

Mark each end of last row with a coloured thread to indicate start of armholes.

Shape armholes

1st row - 1 ch, dc 2tog over first 2 sts, patt to last 2 sts, dc 2tog, turn.

2nd row - 1 ch, 1 dc into each st to end, turn.

Rept the last 2 rows until 19 (19, 19, 19, 15, 19, 19) sts remain, ending with the 2nd row.

Rept 1st row only, thus decreasing 1 st at either side on every row until 3 sts remain.

Fasten off.

HOOD

Using 3.75mm needles, cast on 73 (79, 85, 91, 99, 105, 113) sts.

Work in K1, P1 rib as given for Back until rib measures 4 cm (1.5 ins) from beg, ending with a 1st row.

Next row (dec row) - Rib 5 (5, 5, 8, 6, 6, 4), * P2tog, rib 1, rept from * to last 8 (8, 8, 1, 9, 9, 7) sts, P2tog, rib to end. 52 (56, 60, 66, 70, 74, 78) sts.

Change to 6mm hook.

Base row (right side) - Work as given for base row on Back. 51 (55, 59, 65, 69, 73, 77) sts.

Commence patt

1st row - 1 ch, 1 dc in each st to end, turn.

2nd row - 1 ch, 1 dc in each of next 1 (3, 5, 8, 2, 4, 6) dc, 1 popcorn in next dc, * 1 dc in each of next 7 dc, 1 popcorn in next dc, rept from * to last 1 (3, 5, 8, 2, 4, 6) dc, 1 dc in each dc to end, turn.

3rd row - 1 ch, dc 2tog over next 2 sts, 1 dc in each st to last 2 sts, dc 2tog, turn.

4th row - 1 ch, dc 2tog over next 2 sts, 1 dc in each of next 2 (4, 6, 1, 3, 5, 7) dc, * 1 popcorn in next dc, 1 dc in each of next 7 dc, rept from * to last 5 (7, 9, 4, 6, 8, 10) dc, 1 popcorn in next dc, 1 dc in each of next 2 (4,

6, 1, 3, 5, 7) dc, dc 2tog, over last 2 dc, turn.

Keeping patt correct, continue to dec 1 st at each end of next 2 (2, 2, 3, 3, 4, 5) rows. 43 (47, 51, 55, 59, 61, 63) sts.

Continue in patt without further shaping until Hood measures 13 (14, 15, 16, 17, 19, 21) cm 5.25(5.5, 6, 6.25, 6.75 7.5, 8.25) ins, ending with a wrong side row.

Keeping patt correct, dec 1 st at each end of next 5 (6, 7, 7, 8, 8, 8) rows. 33 (35, 37, 41, 43, 45, 47) sts. Fasten off.

MAKING UP CROCHET AND KNITTED HOODY

Pin Sleeves into position, sew in by top sewing.

Button band

Using 3.75mm needles, cast on 5 sts.

Work in K1, P1 rib as given for Back until band is long enough when slightly stretched to fit from lower edge of welt to neck shaping. Cast off in rib.

Sew band into position, on Left Front for a girl and Right Front for a boy. Mark positions for buttons on button band, the first one 4 rows from lower edge, the last one 1 cm (0.5 inch) down from cast off edge and 4 (4, 5, 5, 5, 6, 6) more equally spaced between.

Buttonhole band

Work as instructions given for button band, working buttonholes to correspond with positions marked for buttons as follows:-

Next row (buttonhole row) - K1, P1, yrn, P2tog, K1.

Pin front bands into position, sew on by top sewing.

Hood

Fold Hood in half and join back seam. Fold Hood ribbing in half to outside and catch in place at top and neck edges. Sew Hood to neck edge of Cardigan, easing to fit, starting and finishing halfway across front bands.

Sew side seams and sleeve seams.
Sew on buttons.

FINISHING

Block or press if desired.



Email: sales@yarnsmiths.co.uk