

Long Cabled Vest

Layer this versatile vest over any top, from t-shirts to ruffled silk blouses. The wearable longer length has been sized to fit a wide range of sizes.

LW2477



Designed by Scarlet Taylor.

Finished Bust: 36 (40, 45, 48, 53)" Finished Length: 30 (30½, 31, 31½, 32)"

RED HEART® "Super Saver®": 2 (3, 3, 3, 4) Balls 376

Burgundy.

Knitting Needles: 6mm [US 10] and 5mm [US 8] circular,

24" long.

5 (5, 5, 5, 6) buttons, 1" diameter cable needle, stitch markers, yarn needle.

GAUGE: 14 sts = 4"; 22 rows = 4" in St st using larger needles. **CHECK YOUR GAUGE**. **Use any size needles to obtain the gauge**.

Note: Front Rib is worked back and forth in rows. Circular needle used to accommodate large number of stitches.

Plait Cable Panel

See Chart at end of pattern

BACK

With larger needles, cast on 82 (90, 100, 108, 118) sts. Work in K1, p1 rib for 4", end with a wrong side row, dec 18 (20, 22, 24, 26) sts evenly across last row – 64 (70, 78, 84, 92) sts.

Change to work in St st until piece measures 21½" from beginning, end with a wrong side row.

Shape Armholes

Bind off 6 (7, 9, 11, 14) sts at beginning of next 2 rows –52 (56, 60, 62, 64) sts.

Work until Armhole measures $7\frac{1}{2}$ (8, $8\frac{1}{2}$, 9, $9\frac{1}{2}$)", end with a wrong side row.

Shape Shoulders

Bind off 5 sts at beginning of next 2 rows, then 5 (6, 6, 6, 6) sts at beginning of next 4 rows.

Bind off remaining 22 (22, 26, 28, 30) sts for Back Neck.

LEFT FRONT

With larger needles, cast on 42 (46, 52, 54, 60) sts. Work in K1, p1 rib for 4", end with a wrong side row, dec 5 (5, 7, 7, 9) sts evenly across last row – 37 (41, 45, 47, 51) sts. **Set-Up Row (Right Side):** K12 (14, 16, 17, 19) sts, place marker, beginning with Row 1, work Plait Cable across 13

Keeping first and last sts in St st and working Plait Cable between markers, work until piece measures 18 (181/2, 19, 19½, 20)" from beginning, end with a wrong side row.

sts, place marker, k12 (14, 16, 17, 19) sts.


Shape Neck

Dec 1 st at end of every other right side row 3 (5, 9, 9, 11) times, then every 4th row 13 (12, 10, 10, 9) times for Neck. **AT SAME TIME**, when piece measures same as length as Back to Armhole shaping, end with a wrong side row.

Shape Armholes

Bind off 6 (7, 9, 11, 14) sts at beginning of right side row for Armhole edge.

Work until Armhole measures $7\frac{1}{2}$ (8, $8\frac{1}{2}$, 9, $9\frac{1}{2}$)", end with a wrong side row – 15 (17, 17, 17, 17) sts.





Shape Shoulders

Bind off 5 sts at beginning of next right side row once, then 5 (6, 6, 6) sts at beginning of right side row twice.

RIGHT FRONT

Work as for Left Front, reversing shaping.

FINISHING

Sew shoulder seams.

Armbands

With right side facing and smaller circular needle, pick up and knit 72 (78, 86, 90, 104) sts evenly around Armhole edge.

Work in K1, p1 rib for 1/2". Bind off loosely in rib.

Neck and Button Bands

Button Band: With right side facing and smaller circular needle, beginning at center of Back neck, pick up and knit 10 (12, 12, 14) sts across left Back Neck to Shoulder, pick up and knit 120 (122, 124, 126, 128) sts evenly down Left Front edge – 130 (134, 136, 138, 142) sts. Work in K1, p1 rib for 1". Bind off loosely in rib.

Place markers for 5 (5, 5, 5, 6) buttons evenly spaced along Button Band.

Buttonhole Band: With right side facing and smaller circular needle, beginning at lower Right Front edge, pick up and knit 120 (122, 124, 126, 128) sts evenly up Right Front edge to Shoulder, pick up and knit 10 (12, 12, 12, 14) sts across right Back Neck edge, end at center of Back Neck – 130 (134, 136, 138, 142) sts. Work in K1, p1 rib for 1/2".

Buttonhole Row 1: *Work to marker, bind off 2 sts for buttonhole; repeat from * across, work to end of row. **Buttonhole Row 2:** *Work to bind-off sts from previous row, cast on 2 sts; repeat from * across, work to end row. Work even until Band measures 1". Bind off loosely in rib.


Sew Back Neck Band seam. Sew side seams. Sew buttons opposite buttonholes. Weave in ends.



RED HEART® "Super Saver®": Art. E300 available in Solid 7 oz (198 g), 364 yd (333 m); multicolor and print 5 oz (141 g), 244 yd (223 m), flecks 5 oz (141 g) 260 yds (238 m) skeins.

ABBREVIATIONS: dec = decrease; K = knit; mm = millimeters; P = purl; St st = Stockinette stitch; st(s) = stitch (es); * = repeat whatever follows the * as indicated.

PLAIT CABLE PANEL



STITCH KEY

- K on right side, P on wrong side
- P on right side, K on wrong side

3/3 LC = Slip next 3 sts to cn, hold to front, k3, k3 from cn

3/3 RC = Slip next 3 sts to cn, hold to back, k3, k3 from cn

